





BUILT FOR BATTLE. TOUGH FOR LIFE.™

Photo courtesy U.S. DoD.

ESS EYE PRO IS BATTLEFIELD PROVEN.

Military personnel worldwide rely on ESS. Their brave deeds feed our passion for combining performance, style, and safety throughout our line of advanced eyewear. ESS Eye Pro exceeds the most stringent military testing standards and is the only brand of eye protection issued to all branches of the U.S. Department of Defense.

Trust ESS for battle-proven toughness and innovations born from unyielding research in military eye protection. Our strong warranty, unique **Lens Contingency Program™**, and stand-alone replacement parts are all built-in assurances that your eye pro can withstand your demanding lifestyle. ESS helps keep you on target and your eyes protected.

DAMAGED YOUR ESS LENSES? NO PROBLEM.

With the **ESS Lens Contingency Program™**, there's a one-time remedy for the scratched-lens blues: for every pair of lenses that you buy, you can get 50% off the retail price of a new set of lenses. Simply replace your damaged goods with a like-kind lens and put your eye pro back into action. If you're hard on your gear, the Lens Contingency Program™ is like a new lease on sunglass life.

- 1-2 **ESS BALLISTIC TESTING • ANSI & MIL SPEC STANDARDS**
- 3-4 **ESS OPTICAL STANDARDS HIGHLIGHTED • ESS VLT LENS CHART**
- 5-6 **CROWBAR™ SUNGLASSES**
- 7-8 **ROLLBAR™ SUNGLASSES**
- 9-10 **CDI™ SUNGLASSES**
- 11-12 **CDI MAX™ SUNGLASS**
- 13-14 **5B™ SUNGLASSES**
- 15-16 **CREDENCE™ SUNGLASSES**
- 17-18 **CROSSBOW® EYESHIELDS**
- 19-20 **SUPPRESSOR™ EYESHIELDS**
- 21-22 **CROSSHAIR™ EYESHIELDS**
- 23-24 **CROSSBLADE™ EYESHIELDS**
- 25-26 **CROSSBOW AF EYESHIELDS**
- 27-28 **ICE™ & ICE NARO™ EYESHIELDS**
- 29-30 **JUMPMaster™ GOGGLES**
- 31-32 **INFLUX™ GOGGLES**
- 33-34 **PIVOT™ SERIES GOGGLES**
- 35-36 **PROFILE NVG™ GOGGLES**
- 37-38 **STRIKER™ SERIES GOGGLES**
- 39-40 **STRUCTURAL FIRE GOGGLES**
- 41-42 **WILDLAND FIRE GOGGLES**
- 43-44 **PRESCRIPTION EYEWEAR SOLUTIONS**
- 45-46 **U.S. NSN'S • APEL PRODUCTS**
- 47-48 **INTERNATIONAL NATO NSN'S • ESS GIVES BACK**



Photo courtesy U.S. DoD.


SUNGLASSES

EYESHIELDS

MILITARY GOGGLES

FIRE GOGGLES

IMPACT SPECIFICATIONS




HIGH VELOCITY IMPACT

ESS protective eyewear surpasses the test for high-velocity impact protection as defined by the American National Standards Institute (ANSI). Per ANSI Z87.1, a quarter-inch steel ball is shot from three different heights, and at seven different angles. To pass the high-velocity test, no contact between the lens and eye is permitted during impact. In addition, no frame parts or lens fragments may be ejected during impact.

HIGH MASS IMPACT

ESS protective eyewear also surpasses the protection requirements for high-mass impact. Within ANSI Z87.1, the high-mass impact test requires that the lens be hit by a 500-gram metal spike (over a pound of weight) dropped from a height of 51.2 inches (over four feet). To pass the test, no frame parts or lens fragments may be ejected during impact.

ANSI Z87.1 HIGH VELOCITY IMPACT TESTING



Spectacle - Minimum Velocity

.25 in diameter steel ball 150 Ft/sec

Goggle - Minimum Velocity

.25 in diameter steel ball 250 Ft/sec

U.S. MIL SPEC MIL-PRF-32432A STANDARDS

CHISEL TIP PROJECTILES USED IN MIL SPEC TESTING.



SPECTACLES STANDARD

.15 caliber (at 700-725 ft/sec)

GOGGLES STANDARD

.22 caliber (at 580-590 ft/sec)

U.S. MIL SPEC MIL-PRF-32432A

ESS protective eyewear surpasses the safety and ballistic testing standards found in MIL-PRF-32432A. The U.S. military standard requires that ballistic eyewear must be able to withstand up to:
 .15 caliber at 700-725 ft/sec for spectacles
 .22 caliber at 580-590 ft/sec for goggles.

THE US MILITARY STANDARD IS OVER **6** TIMES THE KINETIC ENERGY LEVEL OF ANSI Z87.1 TESTING STANDARD. ESS EYE PRO EXCEEDS U.S. MILITARY STANDARDS.




ESS OPTICAL CLARITY

ESS SURPASSES ANSI STANDARDS FOR OPTICS


PRISMATIC POWER ANSI Z87.1 OPTICS TEST #9.5

Prismatic Power is the measurement of how much light bends through a lens. The effect of excessive prism is that objects viewed through a lens aren't actually where they appear to be. The test also measures the prism imbalance in the left and right sides of the lens, which causes the eyes to fatigue as they work to overcome the artificial "double vision" induced by an unbalanced lens.


NON-COMPLIANT OPTICS



ANSI Z87.1 STANDARD



ESS STANDARD




A laser fixture is set up 30 feet from the NBS target and is fired through each lens at the target. The better the optics, the less bending of the laser beam is observed; a lens without induced prism will allow the laser's path to continue directly at the center of the NBS target. Bear in mind when viewing the amount of prism that the effects of the distortion are more significant at distances greater than 30 feet.

REFRACTIVE POWER ANSI Z87.1 OPTICS TEST #9.4

Lens refraction is a measure of what many people refer to as distortion or blurriness. The ANSI Z87.1 Refractive Power test requirements allow for a moderate amount of refraction in a safety lens. The lines in the NBS Definition Pattern are used to measure this lens characteristic.

NBS DEFINITION PATTERN



NON-COMPLIANT OPTICS



ESS lenses are held to a higher level of performance than the ANSI Z87.1 minimum refractive power standard, which is why objects look clearer through ESS lenses.

ANSI Z87.1 STANDARD



ESS STANDARD



LENS CHART

(VLT) - VISIBLE LIGHT TRANSMITTANCE

Visible Light Transmittance (VLT) represents the percentage of light that passes through a lens. For example, a lens with a VLT of 23 admits 23% of visible (non-UV) light, filtering out the remaining 77%. The lower the VLT, the darker the lens. Regardless of VLT, all ESS lenses provide 100% UVA/UVB protection.

| | | |
|--|---|--|
|  CLEAR VLT: 90 <i>For use indoors or at night. Has no influence on contrast or color.</i> |  PHOTOCHROMIC VLT: 86-24 <i>Lens with Light Adapting Technology for all light conditions - Lens goes from dark gray to clear</i> |  HI-DEF YELLOW VLT: 85 <i>For flat to very low light. A high-contrast lens that helps bring out definition.</i> |
|--|---|--|

| | | | | |
|--|---|---|---|---|
|  HI-DEF BRONZE VLT: 62 <i>For flat to low light. Filters blue light to boost contrast & enhance depth perception in overcast or shaded conditions.</i> |  HI-DEF COPPER VLT: 32 <i>For flat to medium light. Improves contrast & depth perception of blues & greens.</i> |  MIRRORED COPPER VLT: 23 <i>For flat to bright light. Improves contrast & depth perception of blues & greens, while reflecting glare.</i> |  SMOKE GRAY VLT: 15 <i>For medium to bright light. An all-purpose daytime lens with unbiased influence on color</i> |  POLARIZED GRAY VLT: 15 <i>For extremely bright light & reflective surfaces. Is the most effective at cutting glare, has unbiased influence on color.</i> |
|--|---|---|---|---|

| | | | | |
|---|---|---|--|--|
|  MIRRORED SILVER VLT: 14 <i>For medium to extremely bright light. Similar to Mirrored Gray, but with a heavier mirrored finish.</i> |  MIRRORED BLUE VLT: 13 <i>For medium to extremely bright light. Similar to Mirrored Silver, but with a reflective blue mirrored finish.</i> |  MIRRORED GRAY VLT: 12 <i>For medium to extremely bright light. An all-purpose lens that reflects glare with unbiased influence on color.</i> |  POLARIZED MIRRORED BLUE VLT: 11 <i>For extremely bright light & reflective surfaces. Polarized reflective blue mirrored finish.</i> |  POLARIZED MIRRORED GRAY VLT: 9 <i>For intense, blinding sun & reflective surfaces. Is the most effective at cutting glare, has unbiased influence on color.</i> |
|---|---|---|--|--|

CROWBAR™

INTERCHANGEABLE-LENS BALLISTIC SUNGLASS



PRODUCT DESCRIPTION

Meet the lightweight and durable Crowbar™ interchangeable-lens sunglass from ESS. Featuring a frameless bottom lens design and innovative Lens Gate™ that makes lens exchanges quicker and field of view greater than ever. The military-grade polycarbonate lens material delivers crisp optics, plus a broad range of ballistic protection. A light and balanced fit that won't interfere with hats, helmets, hearing pro or comms gear.

Small-to-Medium Fit

LENSES

2.2MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166
EXCEPT POLARIZED LENSES WHICH MEET ANSI Z87.1-2015 (IMPACT) & OSHA

RAPID LENS EXCHANGE



Crowbar's frameless bottom provides increased field of view, Lens Gate allows for rapid lens exchange

CROWBAR™ CONFIGURATIONS



CROWBAR™ SILVER LOGO KIT

Black Frame with Silver ESS Logo
Clear & Smoke Gray Lenses
Model #: EE9019-02



CROWBAR™ SUBDUED LOGO KIT

Black Frame with Black ESS Logo
Clear & Smoke Gray Lenses
Model #: EE9019-01



CROWBAR™ TERRAIN TAN KIT

Terrain Tan Frame with Silver ESS Logo
Clear & Smoke Gray Lenses
Model #: EE9019-05



CROWBAR™ TACTICAL KIT

Black Frame with Black ESS Logo
Clear, Smoke Gray, & Mirrored Copper Lenses
Model #: EE9019-04



CROWBAR™ POLARIZED MIRRORRED GRAY KIT

Black Frame with Silver ESS Logo
Polarized Mirrored Gray Lenses
Model #: EE9019-03



CROWBAR™ POLARIZED MIRRORRED BLUE KIT

Black Frame with Satin Black ESS Logo
Polarized Mirrored Blue Lenses
Model #: EE9019-11

COMING SOON



CROWBAR™ MATTE NAVY KIT

Matte Navy Frame with Silver ESS Logo
Mirrored Gray Lenses
Model #: EE9019-13

COMING SOON



CROWBAR™ MATTE OLIVE KIT

Matte Olive Frame with Silver ESS Logo
Smoke Gray Lenses
Model #: EE9019-14

| Crowbar Lens Tints | VLT | Model # |
|----------------------|-----|-------------|
| Clear | 90% | 101-315-001 |
| Hi-Def Yellow | 85% | 101-315-004 |
| Hi-Def Bronze | 62% | 101-315-005 |
| Mirrored Copper | 23% | 101-315-008 |
| Smoke Gray | 15% | 101-315-002 |
| Mirrored Gray | 12% | 101-315-007 |
| Polarized Mirr. Blue | 11% | 101-315-006 |
| Polarized Mirr. Gray | 9% | 101-315-003 |

ROLLBAR™

INTERCHANGEABLE-LENS APEL BALLISTIC SUNGLASS



Photo courtesy U.S. DoD.

PRODUCT DESCRIPTION

The Rollbar™ sunglass from ESS allows for rapid lens exchanges with the auto-locking Rollbar Lens Gate™. The sleek-yet-rugged design is built to excel in the most grueling environments. ESS military-grade polycarbonate lens material delivers crisp optics, plus a broad range of ballistic protection. A balanced fit and low-drag temple arms that won't interfere with hats, helmets, hearing pro or comms gear.

Medium-to-Large Fit

LENSES

2.2MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166
EXCEPT POLARIZED LENSES WHICH MEET ANSI Z87.1-2015 (IMPACT) & OSHA

RAPID LENS EXCHANGE



The Rollbar's Lens Gate allows lenses to be swapped out swiftly and securely.

ROLLBAR™ CONFIGURATIONS



ROLLBAR™ SUBDUED LOGO
Black Frame with Black ESS Logo
Clear & Smoke Gray Lenses
Model #: EE9018-02



ROLLBAR™ SILVER LOGO
Black Frame with Silver ESS Logo
Clear & Smoke Gray Lenses
Model #: EE9018-03



ROLLBAR™ APEL UNIT ISSUE KIT
Black Frame with Black ESS Logo
Clear & Smoke Gray Lenses
Retail APEL Kit #: EE9018-06
APEL Unit Issue #: EE9018-01 NSN #: 4240-01-630-8249



ROLLBAR™ TACTICAL KIT
Black Frame with Black ESS Logo
Clear, Smoke Gray, & Mirrored Copper Lenses
Model #: EE9018-05



ROLLBAR™ TERRAIN TAN
Terrain Tan Frame with Silver ESS Logo
Clear & Smoke Gray Lenses
Model #: EE9018-07



ROLLBAR™ MATTE BLACK
Matte Black Frame with Black ESS Logo
Polarized Mirrored Gray Lenses
Model #: EE9018-13



ROLLBAR™ POLARIZED MIRRORED GRAY
Black Frame with Silver ESS Logo
Polarized Mirrored Gray Lenses
Model #: EE9018-04



ROLLBAR™ POLARIZED MIRRORED BLUE
Black Frame with Silver ESS Logo
Polarized Mirrored Blue Lenses
Model #: EE9018-10

| Rollbar Lens Tints | VLT | Model # |
|----------------------|-----|-------------|
| Clear | 90% | 740-0599 |
| Hi-Def Yellow | 85% | 740-0604 |
| Hi-Def Bronze | 62% | 101-286-003 |
| Mirrored Copper | 23% | 740-0602 |
| Smoke Gray | 15% | 740-0600 |
| Mirrored Gray | 12% | 740-0601 |
| Polarized Mirr. Blue | 11% | 101-286-004 |
| Polarized Mirr. Gray | 9% | 740-0603 |

CDI™

INTERCHANGEABLE-LENS BALLISTIC SUNGLASS



PRODUCT DESCRIPTION

The lightweight CDI™ sunglass features interchangeable lenses that can be easily swapped for quick adaptation to your environment. No-slip nose pads and temple arms help keep the CDI secure, even when wet. Custom Rx Inserts are also available.

Small-to-Medium Fit

LENSES

2.2MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-31013 (CLAUSE 3.5.1.1), ANSI Z87.1-2015, OSHA & CE EN166
EXCEPT POLARIZED PRODUCTS WHICH ONLY MEET ANSI Z87.1-2015 (IMPACT) & OSHA.

RAPID LENS EXCHANGE



CDI™ lenses can be swapped out swiftly and securely.

Photo courtesy U.S. DoD.

CDI™ CONFIGURATIONS



CDI™ BLACK

Black Frame with Silver ESS Logo
Clear & Smoke Gray Lenses
Model #: 740-0296



CDI™ TERRAIN TAN

Terrain Tan Frame with Silver ESS Logo
Clear & Smoke Gray Lenses
Model #: 740-0458



CDI™ TACTICAL KIT

Black Frame with Silver ESS Logo
Clear, Smoke Gray & Mirrored Copper Lenses
Model #: EE9002-01



CDI™ POLARIZED MIRRORED GRAY

Black Frame with Silver ESS Logo
Polarized Mirrored Gray Lenses
Model #: 740-0529



CDI™ POLARIZED MIRRORED BLUE

Black Frame with Silver ESS Logo
Polarized Mirrored Blue Lenses
Model #: EE9002-02

COMING SOON



CDI™ MATTE OLIVE

Matte Olive Frame with Silver ESS Logo
Smoke Gray Lenses
Model #: EE9002-04

COMING SOON



CDI™ MATTE NAVY

Matte Navy Frame with Silver ESS Logo
Polarized Mirrored Gray Lenses
Model #: EE9002-03

| CDI Lens Tints | VLT | Model # |
|----------------------|-----|-------------|
| Clear | 90% | 740-0185 |
| Hi-Def Yellow | 85% | 740-0186 |
| Hi-Def Bronze | 62% | 101-598-001 |
| Mirrored Copper | 23% | 740-0188 |
| Smoke Gray | 15% | 740-0320 |
| Mirrored Silver | 14% | 740-0187 |
| Mirrored Gray | 12% | 740-0505 |
| Polarized Mirr. Blue | 11% | 101-598-002 |
| Polarized Mirr. Gray | 9% | 740-0319 |

CDI MAX™

INTERCHANGEABLE-LENS BALLISTIC SUNGLASS



PRODUCT DESCRIPTION

The CDI MAX™ is a larger version of the popular CDI™, offering a wider field of view and broader coverage. As with the original CDI, the CDI MAX can adapt to any light environment by swapping lenses with the Lateral Exchange System™. CDI MAX's 2.4mm Polycarbonate lenses afford you maximum protection.

Medium-to-Large Fit

LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-31013 (CLAUSE 3.5.1.1), ANSI Z87.1-2015, OSHA & CE EN166

RAPID LENS EXCHANGE



CDI MAX™ lenses can be swapped out swiftly and securely.

CDI MAX™ CONFIGURATIONS



CDI MAX™ BLACK

Black Frame with Silver ESS Logo
Clear & Smoke Gray Lenses
Model #: 740-0297

COMING SOON



CDI MAX™ MATTE DARK GRAY

Matte Dark Gray Frame with Silver ESS Logo
Clear & Smoke Gray Lenses
Model #: EE9003-02



CDI MAX™ TERRAIN TAN

Terrain Tan Frame with Silver ESS Logo
Clear & Smoke Gray Lenses
Model #: 740-0457

COMING SOON



CDI MAX™ MATTE OLIVE

Matte Olive Frame with Silver ESS Logo
Clear & Smoke Gray Lenses
Model #: EE9003-03

| CDI MAX Lens Tints | VLT | Model # |
|--------------------|-----|-------------|
| Clear | 90% | 740-0412 |
| Hi-Def Yellow | 85% | 740-0413 |
| Hi-Def Bronze | 62% | 101-623-001 |
| Hi-Def Copper | 32% | 740-0414 |
| Smoke Gray | 15% | 740-0415 |
| Mirrored Silver | 14% | 740-0416 |

5B™

FIXED LENS BALLISTIC SUNGLASS



PRODUCT DESCRIPTION

The ESS 5B™ is far more than just another sunglass. With ballistic lenses, distortion-free optics, and all-day comfort, the 5B™ is the true embodiment of functional, fashionable eye pro. The frame features low-profile temple arms for comfort with over-the-ear hearing protection, hats or helmets.

Medium Fit

LENSES

2.2MM HIGH-IMPACT POLYCARBONATE • 100% UVA/UVB PROTECTION
ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166
EXCEPT POLARIZED LENSES WHICH MEET ANSI Z87.1-2015 (IMPACT) & OSHA

CUSTOMIZABLE Rx PLATFORM



The ESS 5B frame can accommodate custom Rx filled lenses.

5B™ CONFIGURATIONS



5B™ BLACK SMOKE GRAY

Black Frame
Smoke Gray Lenses
Model #: EE9006-06



5B™ BLACK MIRRORRED COPPER

Black Frame
Mirrored Copper Lenses
Model #: EE9006-02



5B™ POLARIZED MIRRORRED GRAY

Black Frame
Polarized Mirrored Gray Lenses
Model #: EE9006-03



5B™ TERRAIN TAN SMOKE GRAY

Terrain Tan Frame
Smoke Gray Lenses
Model #: EE9006-15



5B™ GRAY MIRRORRED GRAY

Gray Frame
Mirrored Gray Lenses
Model #: EE9006-05

COMING SOON



5B™ MATTE DARK GRAY

Matte Dark Gray Frame
Polarized Mirrored Blue Lenses
Model #: EE9006-18

COMING SOON



5B™ MATTE NAVY

Matte Navy Frame
Polarized Mirrored Gray Lenses
Model #: EE9006-19

CREDENCE™

FIXED LENS BALLISTIC SUNGLASS



PRODUCT DESCRIPTION

With Credence™, seeing is believing. This sunglass delivers a hefty dose of performance, protection and style. The broad lens wrap of the Credence provides a wide field of view through distortion-free, military-grade polycarbonate. The frame features low-profile temple arms for comfort with over-the-ear hearing protection, hats or helmets.

Medium-to-Large Fit

LENSES

2.2MM HIGH-IMPACT POLYCARBONATE • 100% UVA/UVB PROTECTION
ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166

CUSTOMIZABLE Rx PLATFORM



The ESS Credence frame can accommodate custom Rx filled lenses.

CREDENCE™ CONFIGURATIONS



CREDENCE™ BLACK SMOKE GRAY

Black Frame with Silver ESS Logo
Smoke Gray Lenses
Model #: EE9015-04



CREDENCE™ BLACK SMOKE GRAY

Black Frame with Black ESS Logo
Smoke Gray Lenses
Model #: EE9015-01



CREDENCE™ TERRAIN TAN SMOKE GRAY

Terrain Tan Frame with Silver ESS Logo
Smoke Gray Lenses
Model #: EE9015-14



CREDENCE™ GRAY MIRRORED COPPER

Black Frame with Copper ESS Logo
Mirrored Copper Lenses
Model #: EE9015-02



CREDENCE™ BLACK MIRRORED BLUE

Black Frame with Silver ESS Logo
Mirrored Blue Lenses
Model #: EE9015-08

COMING SOON



CREDENCE™ MATTE DARK GRAY

Matte Dark Gray Frame with Silver ESS Logo
Mirrored Blue Lenses
Model #: EE9015-15



CREDENCE™ BLACK MIRRORED COPPER

Black Frame with Copper ESS Logo
Mirrored Copper Lenses
Model #: EE9015-06

CROSSBOW®

THE ANTI-FOG APEL BALLISTIC EYESHIELD



PRODUCT DESCRIPTION

Militaries worldwide rely on the Crossbow® as their #1 choice for eye protection. Featuring a dedicated FlowCoat lens technology, ESS ClearZone™ is engineered to eliminate fog inside and prevent scratches outside. Crossbow® is fully U.S. Army UPLC compatible. Additional Rx options are also available page 43.

Universal Fit

LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166
EXCEPT POLARIZED LENSES WHICH MEET ANSI Z87.1-2015 (IMPACT) & OSHA



Photo courtesy U.S. DoD.

CROSSBOW® GASKET

Airflow management for your Crossbow® Eyeshield



The Gasket insert fits snugly against the wearer's face to create a full seal to protect against wind, dust and airborne debris.
Model #: 101-319-001

Approved by the U.S. Navy for all rotary wing operations.

CROSSBOW® CONFIGURATIONS



CROSSBOW® UNIT ISSUE KIT

Black Frame
Clear & Smoke Gray Lenses
APEL Unit Issue Model #: 740-0607
NSN #: 4240-01-630-8327



CROSSBOW® ONE POLARIZED

Black Frame
Polarized Mirrored Gray Lenses
Model #: 740-0494



CROSSBOW® ONE GRAY

Black Frame
Smoke Gray Lens
Model #: 740-0614



CROSSBOW® 2X KIT

Two Black Frames
Clear & Smoke Gray Lenses
Model #: 740-0504
APEL Retail Model #: 740-0386



CROSSBOW® ONE PHOTOCROMIC

Black Frame
Light-Adapting Photochromic Lens
Model #: 740-0546



CROSSBOW® ONE CLEAR

Black Frame
Clear Lens
Model #: 740-0615



CROSSBOW® 2X KIT

Two Terrain Tan Frames
Clear & Smoke Gray Lenses
Model #: 740-0463



CROSSBOW® 3LS KIT

Black Frame
Clear, Smoke Gray & Hi-Def Yellow Lenses
Model #: 740-0387

| Crossbow Lens Tints | VLT | Model # |
|---|--------|----------|
| Clear | 90% | 740-0425 |
| Hi-Def Yellow | 85% | 740-0423 |
| Hi-Def Bronze | 62% | 740-0509 |
| Hi-Def Copper | 32% | 740-0426 |
| Smoke Gray | 15% | 740-0424 |
| Photochromic | 86-24% | 740-0452 |
| Polarized Gray | 15% | 740-0455 |
| Laser Protective (LPL) - Call for details | | |

SUPPRESSOR™

BALLISTIC EYESHIELD FOR USE WITH HEARING PRO



PRODUCT DESCRIPTION

The Crossbow Suppressor™ is the first spectacle frame designed for use with over-the-ear hearing protection and comms gear. The Suppressor's ultra-thin temple arms help keep noise out and eliminate hot spots by minimizing interference with the padded seal of ear cups. Rx options are available see page 43.

Universal Fit

LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166
EXCEPT POLARIZED LENSES WHICH MEET ANSI Z87.1-2015 (IMPACT) & OSHA



SUPPRESSOR™ Z-BEND GEOMETRY



Ultra-thin temple arms eliminate pressure on wearer's head and help keep noise out by minimizing the effect on the padded seal of ear cups.

SUPPRESSOR™ CONFIGURATIONS



SUPPRESSOR™ 2X+ KIT

Black Crossbow Frame & Black Suppressor Frame
Clear, Smoke Gray & Hi-Def Copper Lenses
Model #: 740-0388



SUPPRESSOR™ 2X KIT

Black Crossbow Frame & Black Suppressor Frame
Clear & Hi-Def Copper Lenses
Model #: 740-0475



SUPPRESSOR™ 2X KIT

Black Crossbow Frame & Black Suppressor Frame
Clear & Smoke Gray Lenses
Model #: 740-0451



SUPPRESSOR™ ONE HDG

Black Suppressor Frame
Hi-Def Copper Lens
Model #: 740-0472



SUPPRESSOR™ ONE GRAY

Black Suppressor Frame
Smoke Gray Lens
Model #: EE9007-03



SUPPRESSOR™ ONE CLEAR

Black Suppressor Frame
Clear Lens
Model #: EE9007-04



SUPPRESSOR™ TERRAIN TAN FRAME

Terrain Tan Suppressor Frame
Model #: 740-0532

| Crossbow Lens Tints | VLT | Model # |
|---|--------|----------|
| Clear | 90% | 740-0425 |
| Hi-Def Yellow | 85% | 740-0423 |
| Hi-Def Bronze | 62% | 740-0509 |
| Hi-Def Copper | 32% | 740-0426 |
| Smoke Gray | 15% | 740-0424 |
| Photochromic | 86-24% | 740-0452 |
| Polarized Gray | 15% | 740-0455 |
| Laser Protective (LPL) - Call for details | | |

CROSSHAIR™

APEL BALLISTIC EYESHIELD



PRODUCT DESCRIPTION

This Crosshair™ is an entry level eyeshield that provides all day comfort and universal fit. The Crosshair benefits from complete compatibility with the ESS CrossSeries eyeshield platform for customization in any environment. Crosshair™ is fully U.S. Army UPLC compatible. Additional Rx options are available see page 43.

Universal Fit

LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166

CROSS-SERIES™ COMPONENTS

The ESS Cross-Series™ is a revolutionary new systems approach to ballistic eye protection. This fully cross-compatible eyeshield platform includes three products: the entry-level Crosshair™ with core performance, the elite Crossbow® with premium anti-fog / anti-scratch lenses, and the adaptable Suppressor™ for use with hearing protection. All Cross-Series™ components and accessories can be interchanged between these three eyeshields. Engage. Adapt. Excel.



CROSSHAIR™ CONFIGURATIONS



CROSSHAIR™ 2X KIT

Two Black Frame Frames
Clear & Smoke Gray Lenses
Model #: EE9014-01
Retail APEL Kit #: EE9014-02



CROSSHAIR™ 3LS KIT

Black Frame
Clear, Smoke Gray & Hi-Def Yellow Lenses
Model #: EE9014-05



CROSSHAIR™ UNIT ISSUE KIT

Black Frame
Clear & Smoke Gray Lenses
APEL Unit Issue Model #: EE9014-11
NSN #: 4240-01-630-6352



CROSSHAIR™ ONE SMOKE GRAY

Black Frame
Smoke Gray Lens
Model #: EE9014-08



CROSSHAIR™ ONE CLEAR

Black Frame
Clear Lens
Model #: EE9014-07

| Crosshair Lens Tints | VLT | Model # |
|----------------------|-----|----------|
| Clear | 90% | 740-0479 |
| Hi-Def Yellow | 85% | 740-0477 |
| Hi-Def Copper | 23% | 740-0478 |
| Smoke Gray | 15% | 740-0480 |

CROSSBLADE™

MODULAR FIT BALLISTIC EYESHIELD - STANDARD SIZE



PRODUCT DESCRIPTION

The new ESS Crossblade™ Eyeshield features advanced ClearZone™ Anti-fog coatings plus two different sized lens and nosepiece options to allow for customizable modular fit. With the modular fit system, the Crossblade™ can be set specifically to fit the end user's facial structure. Crossblade™ and Crossblade™ NARO are fully U.S. Army UPLC compatible. Additional Rx options are also available page 43.

Universal Fit

LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166

CROSSBLADE™ NARO

MODULAR FIT BALLISTIC EYESHIELD - SMALLER SIZE



CROSSBLADE™ MODULAR FIT SYSTEM



| | | | |
|----------------|----------------|----------------|----------------|
| Small | Medium | Tall | Large |
| NARO Lens | NARO Lens | REG. Lens | REG. Lens |
| NARO Nosepiece | REG. Nosepiece | NARO Nosepiece | REG. Nosepiece |

Crossblade's two sizes, Standard and NARO, lenses and nosepieces create a Modular Fit System which is fully customizable for multiple facial structures.

CROSSBLADE™ CONFIGURATIONS



CROSSBLADE™ 2X KIT

Two Black Frames
Clear & Smoke Gray Lenses
Standard Model #: EE9032-03



CROSSBLADE™ 2X KIT NARO

Two Black Frames
Clear & Smoke Gray Lenses
NARO Model #: EE9034-03



CROSSBLADE™ DELUXE KIT

Black Frame
Standard Clear & Smoke Gray Lenses
NARO Clear & Smoke Gray Lenses
Deluxe Kit Model #: EE9032-10



CROSSBLADE™ UNIT ISSUE KIT

Black Frame
Clear & Smoke Gray Lenses
Standard Model #: EE9032-01



CROSSBLADE™ UNIT ISSUE KIT NARO

Black Frame
NARO Clear & Smoke Gray Lenses
NARO Model #: EE9034-01



CROSSBLADE™ 2X TERRAIN TAN KIT

Two Terrain Tan Frames
Clear & Smoke Gray Lenses
Standard Model #: EE9032-05



CROSSBLADE™ 2X+ KIT

Two Black Frames
Clear, Smoke Gray & Hi-Def Copper Lenses
Standard Model #: EE9032-06

| Crossblade Lens Tints | VLT | Model # |
|------------------------|-----|-------------|
| Standard Clear | 90% | 102-189-004 |
| Standard Hi-Def Yellow | 85% | 102-189-006 |
| Standard Hi-Def Bronze | 62% | 102-189-008 |
| Standard Hi-Def Copper | 23% | 102-189-005 |
| Standard Smoke Gray | 15% | 102-189-003 |
| NARO Clear | 90% | 102-190-003 |
| NARO Hi-Def Yellow | 85% | 102-190-005 |
| NARO Hi-Def Bronze | 62% | 102-190-007 |
| NARO Hi-Def Copper | 23% | 102-190-006 |
| NARO Smoke Gray | 15% | 102-190-004 |
| Replacement Nosepieces | | Model # |
| Standard Black | | 102-324-001 |
| NARO Black | | 102-324-007 |
| Standard UPLC Black | | 102-324-003 |
| NARO UPLC Black | | 102-324-008 |

CROSSBOW AF™

ASIAN FIT ANTI-FOG BALLISTIC EYESHIELD



PRODUCT DESCRIPTION

The ESS Crossbow AF™ is designed specifically to fit Asian facial features. Featuring a flatter lens curve and nosepiece, the geometry of this eyeshield works to improve fit for faces with shallow nosebridges and higher cheek structure.

Asian Fit

LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166



CROSSBOW AF™ U-Rx KIT



A special Rx nosepiece, carrier and side-shields are included in kit for correct vision and maximum eye protection.

CROSSBOW AF™ CONFIGURATIONS



CROSSBOW AF™ 2LS KIT

Black Frame
Clear & Smoke Gray Lenses
Model #: EE9020-01



CROSSBOW AF™ ONE SMOKE GRAY

Black Frame
Smoke Gray Lens
Model #: EE9020-05



CROSSBOW AF™ ONE CLEAR

Black Frame
Clear Lens
Model #: EE9020-04



CROSSBOW AF™ 3LS KIT

Black Frame,
Clear, Smoke Gray & Hi-Def Yellow Lenses
Model #: EE9020-07



CROSSBOW AF™ ONE SMOKE GRAY TERRAIN TAN

Terrain Tan Frame
Smoke Gray Lens
Model #: EE9020-03



CROSSBOW AF™ ONE CLEAR TERRAIN TAN

Terrain Tan Frame
Clear Lens
Model #: EE9020-02

| <u>Crossbow AF Lens Tints</u> | <u>VLT</u> | <u>Model #</u> |
|------------------------------------|------------|----------------|
| Clear | 90% | 101-804-001 |
| Smoke Gray | 15% | 101-804-002 |
| Hi-Def Yellow | 85% | 101-804-003 |
| <u>Additional Accessory Items</u> | | |
| Crossbow AF U-Rx kit - Black | | 102-324-007 |
| Crossbow AF U-Rx kit - Terrain Tan | | 102-324-008 |

ICE™ & ICE NARO™

ORIGINAL ESS BALLISTIC EYESHIELD



Photo courtesy U.S. DoD.

PRODUCT DESCRIPTION

ESS ICE™ & ICE NARO™ eyeshields offer a unique combination of impact resistance, unrestricted view, and interchangeable lenses for “frameless” eye protection in any light. Reinforced PosiLock™ temples provide a secure and adjustable fit through their pliable earwires and variable-length arms.

ICE NARO is approximately 10% narrower than the standard ICE and is engineered for smaller faces.

Note: ICE™ and ICE NARO™ are not part of the Cross-Series.


LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-31013 (CLAUSE 3.5.1.1), ANSI Z87.1-2015, OSHA & CE EN166

ICE NARO™ vs. ICE™



The ESS ICE NARO™ shares the same features as the ESS ICE™ Eyeshield. The difference is its overall width: the ICE NARO™ is about 10% narrower.

ICE™ & ICE NARO™ CONFIGURATIONS



ICE™ 2X KIT

Two Black Regular Frames
Clear & Smoke Gray Lenses
Model #: 740-0003



ICE™ UNIT ISSUE KIT

Two Black Regular Frames
Clear & Smoke Gray Lenses
Model #: 740-0004



ICE™ 3LS KIT

Black Regular Frame
Clear, Smoke Gray & Hi-Def Yellow Lenses
Model #: 740-0020



ICE™ TACTICAL KIT

Two Black Regular Frames
Clear, Smoke Gray, & Hi-Def Copper Lenses
Model #: 740-0007



ICE NARO™ 2X KIT

Two Black NARO Frames
Clear & Smoke Gray Lenses
Model #: 740-0001



ICE™ ONE SMOKE GRAY

Black Regular Frame
Smoke Gray Lens
Model #: 740-0440



ICE™ ONE CLEAR

Black Regular Frame
Clear Lens
Model #: 740-0005

ICE Lens Tints

| Color | VLT | Model # |
|---------------|-----|----------|
| Clear | 90% | 740-0071 |
| Hi-Def Yellow | 85% | 740-0088 |
| Hi-Def Copper | 23% | 740-0086 |
| Smoke Gray | 15% | 740-0011 |

ICE NARO Lens Tints

| Color | VLT | Model # |
|--------------------|-----|----------|
| NARO Clear | 90% | 740-0078 |
| NARO Hi-Def Yellow | 85% | 740-0077 |
| NARO Hi-Def Copper | 23% | 740-0080 |
| NARO Smoke Gray | 15% | 740-0079 |

JUMPMASTER™ NEW

LOW PROFILE BALLISTIC GOGGLE



Photo courtesy U.S. DoD.

PRODUCT DESCRIPTION

The ESS Jumpmaster™ is specifically designed for Airborne and other high-speed applications. It is compatible with night vision devices and multiple helmet types with three mission-specific strap configurations. The Jumpmaster features Anti-microbial OpFoam™ face padding which increases comfort & fit. Its 2.6mm polycarbonate lenses provide ballistic protection, ESSOPTICS™ distortion-free optical precision, and ESS ClearZone™ dedicated Anti-fog and Anti-scratch lens coatings.

LENSES

2.6MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166

LOW PROFILE FIT



Aerodynamic Profile for High-Speed Activities

JUMPMASTER™ CONFIGURATIONS

NEW



JUMPMASTER™ BLACK

Black Jumpmaster Frame
Smoke Gray Lens
Model #: EE7035-01

NEW



JUMPMASTER™ TERRAIN TAN

Terrain Tan Jumpmaster Frame
Smoke Gray Lens
Model #: EE7035-03

NEW



JUMPMASTER™ BLACK

Black Jumpmaster Frame
Clear Lens
Model #: EE7035-02

NEW



JUMPMASTER™ TERRAIN TAN

Terrain Tan Jumpmaster Frame
Clear Lens
Model #: EE7035-04



Jumpmaster™ Goggle is cross-compatible with ESS Influx™ Goggle straps. (Shown with Terrain Tan Pivot Strap)

| Jumpmaster Lens Tints | VLT | Model # |
|------------------------|-----|-------------|
| Clear/Black | 90% | 102-856-003 |
| Smoke Gray/Black | 15% | 102-856-004 |
| Clear/Terrain Tan | 90% | 102-856-001 |
| Smoke Gray/Terrain Tan | 15% | 102-856-002 |

INFLUX™

THE ANTI-FOG APEL BALLISTIC GOGGLE



PRODUCT DESCRIPTION

By virtually eliminating lens fogging, the ESS Influx™ military goggle allows troops to maintain full situational awareness in dynamic tactical environments. As part of the goggle's patented Adjustable Ventilation System™ (AVS™), the Influx RotoClip™ pivots the position of the lens inside the goggle frame: choose either a dust-free, fully-sealed mode, or a fog-free, open-ventilation mode. With Influx™, troops can always see clearly and act fast when seconds count.

LENSES

3MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166



Photo courtesy U.S. DoD.

ADJUSTABLE VENTILATION SYSTEM (AVS)™



Lens pivots open to create airflow & closes to seal goggle

INFLUX™ CONFIGURATIONS



INFLUX™ TERRAIN TAN

Terrain Tan Influx Frame
Clear & Smoke Gray Lenses
Model #: EE7018-02
APEL Unit Issue Model #: EE7018-04
APEL Retail #: EE7018-10
NSN #: 4240-01-630-6343



INFLUX™ FOLIAGE GREEN

Foliage Green Influx Frame
Clear & Smoke Gray Lenses
Model #: EE7018-07



INFLUX™ BLACK

Black Influx Frame
Clear & Smoke Gray Lenses
Model #: EE7018-01



INFLUX™ WHITE 3LS UNIT ISSUE

White Influx Frame with Fleece Face Foam
Clear, Smoke Gray, & Alpenglow Lenses
Designed for Cold Weather Applications
Model #: EE7018-23



AIRBOSS™

Gray Frame
Full Strap with SpeedClips™
Clear & Smoke Gray Lenses
Designed for Use on Aircraft Carriers
Model #: EE7018-20

| Influx Lens Tints | VLT | Model # |
|---|-----|-------------|
| Clear | 90% | 101-289-002 |
| Hi-Def Yellow | 85% | 101-289-005 |
| Alpenglow | 26% | 101-289-003 |
| Smoke Gray | 15% | 101-289-001 |
| Laser Protective (LPL) - Call for details | | |

PIVOT™ SERIES

RAPID ADJUSTABLE STRAP SYSTEM



PRODUCT DESCRIPTION

ESS Pivot™ Series provide a simple and adjustable solution for attaching ESS Influx™ & Profile™ NVG goggles to any helmet equipped with an ESS helmet-post. The Pivot™ strap replaces the standard full elastic strap with two pivoting adjustable side-straps. The Pivot™ goggles can rapidly-affix in the field while wearing helmet and gloves, easy donning and doffing, multiple secure stowage options, and rapid strap adjustment.

LENSES

2.8 - 3MM HIGH-IMPACT POLYCARBONATE* • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166

*PROFILE NVG LENSES ARE 2.8MM - INFLUX LENSES ARE 3MM



ESS PIVOT GOGGLE SYSTEM



Pivot™ Series goggles can be mounted to helmets equipped with the Rail Systems. (Appropriate adapter required)

PIVOT™ GOGGLE CONFIGURATIONS



INFLUX PIVOT™ BLACK
Black Frame with Ops Core® ARC™ Mounting Kit
Clear & Smoke Gray Lenses
Model #: EE7D18-18
Black without Mounting Kit
Clear & Smoke Gray Lenses
Model #: EE7D18-19



INFLUX PIVOT™ TERRAIN TAN
Terrain Tan Frame with Ops Core® ARC™ Mounting Kit
Clear & Smoke Gray Lenses
Model #: EE7D18-21
Terrain Tan without Mounting Kit
Clear & Smoke Gray Lenses
Model #: EE7D18-22



PROFILE PIVOT™ GRAY
Gray Frame with Ops Core® ARC™ Mounting Kit
Clear & Smoke Gray Lenses
Model #: 740-0516



PROFILE PIVOT™ TEAM WENDY GOGGLE
Gray Frame with Pivot Strap
Clear & Smoke Gray Lenses
Model #: EE7D01-01

Accessory Strap Options

| | Model # |
|---|-------------|
| Influx Gray Pivot Strap Assembly | 102-196-001 |
| Influx Gray Pivot Strap | 102-196-002 |
| Influx Terrain Tan Pivot Strap Assembly | 102-196-003 |
| Influx Terrain Tan Pivot Strap | 102-196-004 |
| Influx Foliage Green Strap Assembly | 102-196-008 |
| Profile Gray Pivot Strap Assembly | 740-0495 |
| Ops Core Rail Adapter Kit | 740-0488 |
| Profile Pivot Team Wendy Strap Assembly | 101-955-001 |

PROFILE NVG™

LOW PROFILE GOGGLE SERIES



Photo courtesy U.S. DoD.

PRODUCT DESCRIPTION

Battle tested in the most demanding theaters, the patented ESS Profile NVG™ is a low-profile, night-vision-compatible goggle authorized and issued by the U.S. Army, USMC, USAF, and numerous NATO governments. The goggle's full-perimeter ventilation and filtration system minimizes lens fogging and filters airborne particles, dust and splashes. Advanced ClearZone™ FlowCoat lenses provide an optimal combination of anti-scratch coatings on the outside of the lens and anti-fog coatings on the inside.

LENSES

2.8MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166

PROFILE NVG™ FULL-PERIMETER VENTILATION



Full-perimeter ventilation and filtration system minimizes lens fogging and filters airborne particles, dust and splashes.

PROFILE NVG™ CONFIGURATIONS



PROFILE NVG™ TERRAIN TAN

Terrain Tan NVG Frame
Clear & Smoke Gray Lenses
Model #: 740-0500
APEL Unit Issue Model #: 740-0609
APEL Retail #: 740-0127
NSN #: 4240-01-630-7259



PROFILE TURBOFAN™ BLACK

Black TurboFan Frame
Clear & Smoke Gray Lenses
Model #: 740-0131



PROFILE NVG™ ASIAN FIT

Black Asian Fit Frame
Clear & Smoke Gray Lenses
Model #: 740-0123



PROFILE NVG™ BLACK

Black NVG Frame
Clear & Smoke Gray Lenses
Model #: 740-0499
APEL Unit Issue Model #: 740-0124
NSN #: 4240-01-504-6222



FLIGHT PRO™

Gray Frame - Aircraft Carrier Deck Goggle
Clear & Smoke Gray Lenses
Model #: 740-0410
NSN #: 1680-01-602-5906



PROFILE TURBOFAN™ ASIAN FIT

Black Asian Fit TurboFan Frame
Clear & Smoke Gray Lenses
Model #: 740-0132



PROFILE NVG™ FOLIAGE GREEN

Foliage Green NVG Frame
Clear & Smoke Gray Lenses
Model #: 740-0501
Unit Issue Model #: 740-0129
NSN #: 4240-01-540-5585

| Profile Lens Tints | VLT | Model # |
|---|-----|----------|
| Clear | 90% | 740-0113 |
| Hi-Def Yellow | 85% | 740-0121 |
| Hi-Def Bronze | 62% | 740-0508 |
| Smoke Gray | 15% | 740-0119 |
| Laser Protective (LPL) - Call for details | | |
| Asian Fit Lens Tints | VLT | Model # |
| Clear | 90% | 740-0260 |
| Hi-Def Yellow | 85% | 740-0258 |
| Smoke Gray | 15% | 740-0259 |

STRIKER™ SERIES

MILITARY/TACTICAL GOGGLE SERIES



PRODUCT DESCRIPTION

The ESS Striker™ Series is for use over prescription eyewear. Featuring closed-cell facepadding for superior durability, easy of cleaning and long-lasting comfort. Full-perimeter Hi-Flow™ ventilation & filtration system permits airflow while filtering out airborne particles, air blasts, and splashes. The ESS Land Ops™ is one of the only goggles authorized by the U.S. Army for use over prescription eyewear.

LENSES

2.6MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432A, ANSI Z87.1-2015, OSHA & CE EN166



Photo courtesy U.S. DoD.

STRIKER™ GOGGLES



Photo courtesy U.S. DoD.

Roomy frame fits over user's prescription glasses.

STRIKER™ CONFIGURATIONS

AUTHORIZED PROTECTIVE EYEWEAR (LEST LABEL) APPROVED



LAND OPS™ TERRAIN TAN

Terrain Tan Striker Frame
Clear & Smoke Gray Lenses
APEL Retail #: 740-0207
APEL Unit Issue Model #: 740-0206
NSN #: 4240-01-540-5580



FLIGHT DECK™

Gray Striker Frame - Aircraft Carrier Deck Goggle
Clear & Smoke Gray Lenses
Model #: 740-0333
Unit Issue #: 740-0197
NSN #: 4240-01-492-5720



LAND OPS™ FOLIAGE GREEN

Foliage Green Striker Frame
Clear & Smoke Gray Lenses
Model #: 740-0502
Unit Issue Model #: 740-0202
NSN #: 4240-01-540-5576



STRIKER™ ASIAN FIT

Black Asian Fit Striker Frame
Clear & Smoke Gray Lenses
Model #: 740-0247



TACTICAL XT™ BLACK

Black Striker Frame
Clear Lens
Model #: 740-0243

Striker Lens Tints



| VLT | Model # |
|-----|----------|
| 90% | 740-0192 |
| 85% | 740-0315 |
| 15% | 740-0227 |

STRUCTURAL FIRE SERIES

NFPA 1971 CERTIFIED FIREFIGHTING GOGGLES



PRODUCT DESCRIPTION

ESS Structural goggles can be worn alone, on a helmet, or in conjunction with faceshields or flip-downs. ESS Structural goggles are compliant with NFPA 1971-2018, including the 500°F for 5-minute oven test. The goggle's full-perimeter ventilation and filtration system minimizes lens fogging and filters airborne particles, dust and splashes. The patented Speed-Clip™ strap system facilitates quick strap adjustment, even with gloves on.

LENSES

2.6MM -2.8MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

NFPA 1971-2018 EDITION • ANSI Z87.1-2015 • U.S. FEDERAL OSHA

INNERZONE SERIES



The Innerzone™ Structural goggles can accommodate fitting over most prescription eyewear.

FIREPRO 1971™ & INNERZONE™ CONFIGURATIONS



FIREPRO-1971 EX-1™

Gray NFPA Compliant 1971 Frame
2-Piece Strap with Thumb-Screw Mounting Brackets
Model #: 740-0535



FIREPRO-1971 EX-2™

Gray NFPA Compliant 1971 Frame
2-Piece Strap with Snap-On/Snap-Off Mounting Brackets
Model #: 740-0536



FIREPRO-1971 FS™

Gray NFPA Compliant 1971 Frame
With Full Strap and Two hook and loop Tabs Model #: 740-0537



INNERZONE-1™

Gray NFPA Compliant 1971 Frame
2-Piece Strap with Thumb-Screw Mounting Brackets
Model #: 740-0264



INNERZONE-2™

Gray NFPA Compliant 1971 Frame
2-Piece Strap with Snap-On/Snap-Off Mounting Brackets
Model #: 740-0268



INNERZONE-3™

Gray NFPA Compliant 1971 Frame
With Full Strap and Two hook and loop Tabs Model #: 740-0273

Accessory Items

| Accessory Items | Model # |
|---------------------------|----------|
| FirePro 1971 Clear Lens | 740-0585 |
| Innerzone 1971 Clear Lens | 740-0190 |
| Nomex® Heat Sleeve | 740-0228 |
| Semi-Permanent Bracket | 740-0201 |
| Snap on/ off bracket | 740-0251 |

WILDLAND FIRE SERIES

NFPA 1977 FIREFIGHTING GOGGLES



PRODUCT DESCRIPTION

ESS offers three different Wildland goggle series. The new **ESS Influx FirePro-1977™** wildland goggles are Rx compatible, have low-profile frames and feature the patented Adjustable Ventilation System™ AVS, for a dust-free, fully-sealed mode, or a fog-free, open-ventilation mode. The **ESS Firepro 1977™** series is based on the ESS Profile NVG™ low profile military goggle and is Rx compatible. The **ESS Striketeam™** series is a high volume goggle that fits over prescription eyewear.

LENSES

2.6MM -3.0MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION
ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

BALLISTIC PROTECTION STANDARDS

NFPA 1977-2018 EDITION • ANSI Z87.1-2015 • U.S. FEDERAL OSHA



Photo courtesy U.S. DoD.

FIREPRO 1977 ASIAN FIT



FIREPRO-1977 AF™

Gray NFPA Compliant 1977 Asian Fit Frame With Full Strap and Two hook and loop Tabs
Model #: 740-0380

INFLUX FIREPRO 1977™, FIREPRO 1977™ & STRIKETEAM™ CONFIGURATIONS



INFLUX FIREPRO-1977 FS™

Gray In lux NFPA Compliant 1977 Frame With Full Strap and Two hook and loop Tabs
Model #: EE7018-24



INFLUX FIREPRO-1977 EX™

Gray Influx NFPA Compliant 1977 Frame 2-Piece Strap with Snap-On/Snap-Off Mounting Brackets
Model #: EE7018-25



FIREPRO-1977 FS™

Gray NFPA Compliant 1977 Frame With Full Strap and Two hook and loop Tabs
Model #: 740-0377



STRIKETEAM XTO™

Gray Striker Frame With Full Strap and Closed-Cell Face Padding
Model #: 740-0283



STRIKETEAM SJ™

Gray Striker Frame With Full Strap and Open-Cell Face Padding and Fully-Sealed Vents for Maximum Smoke Resistance
Model #: 740-0235



FIREPRO-1977 EX™

Gray NFPA Compliant 1977 Frame 2-Piece Strap with Snap-On/Snap-Off Mounting Brackets
Model #: 740-0378



STRIKETEAM WF™

Gray Striker Frame With Full Strap and No Face Padding
Model #: 740-0236



X-TRICATOR™

Gray Striker Frame 2-Piece Strap with Snap-On/Snap-Off Mounting Brackets
Model #: 740-0287

Accessory Items

| Accessory Items | Model # |
|---------------------------|-------------|
| Influx Clear Lens | 101-289-002 |
| FirePro 1977 Clear Lens | 740-0562 |
| Innerzone 1971 Clear Lens | 740-0190 |
| Nomex® Heat Sleeve | 740-0228 |
| Striker tear-offs | 740-0246 |
| Semi-Permanent Bracket | 740-0201 |
| Snap on/ off bracket | 740-0251 |

RX SUNGLASSES



ROLLBAR™ RX
Black Rollbar Frame
Customizable Interchangeable Rx Lenses



CDI™ RX INSERT**
Customizable Interchangeable Rx Lenses



CREDENCE™ RX
Black & Gray Frames Available
Customizable Fixed Rx Lenses



5B™ RX
Black & Gray Frames Available
Customizable Fixed Rx Lenses

ESS PRESCRIPTION EYEWEAR COMPATIBILITY MATRIX

| Rx Compatibility | | Influx Goggles Influx Influx Pivot | Profile Series Profile NVG Profile TurboFan Profile Pivot Flight Pro | FirePro Series FirePro 1971 FirePro 1977 | Eyeshields Crossbow Suppressor Crosshair ICE & ICE NARO | Crossblade Crossblade | Crossbow Gasket Crossbow Gasket | Crossbow AF Crossbow AF | CDI Sunglass CDI | Sunglasses 5B Credence Rollbar |
|------------------------------|-----------|--|--|--|---|--------------------------|------------------------------------|----------------------------|---------------------|---|
| Model | Rx Range* | | | | | | | | | |
| U-Rx Rx Insert | +11/-11 | ● | ● | ● | ● | ● | | | | |
| Vice Rx Insert | +6/-6 | | | | ● | | | | | |
| Crossbow AF Rx | +6/-6 | | | | | | | ● | | |
| CDI Rx Inserts | +5.5/-6 | | | | | | | | ● | |
| Rx-Ready Sunglasses (Varies) | | | | | | | | | | ● |
| U.S. Army UPLC | | ● | ● | ● | ● | ● | ● | | | |

*Range of prescription may vary based on the filling service you use. **Use of Rx inserts renders the CDI sunglass non-compliant with MIL-PRF-32432A & ANSI Z87.1.

RX INSERTS



Many ESS products are compatible with Rx inserts which fit behind your eye pro's primary lenses. To identify Rx insert-compatible products, look for the Rx Insert Available symbol or reference the chart on the previous page.



U-RX™ INSERT

The **U-Rx™** Prescription Lens Insert was developed to be the most comprehensive and adaptable Rx solution ever made. This universal Rx carrier is the first to interchange across brands in a wide variety of ESS and Oakley® ballistic eyeshields and goggles. The U-Rx is compatible with the Oakley® Ballistic M-Frame 2.0 / 3.0 and Oakley® SI Ballistic Goggle.



VICE™ RX INSERT

The wire & monofilament-framed **Vice™** Rx Lens Insert snaps into a Crossbow®, Crosshair™, Suppressor™, ICE™, or ICE NARO™ eyeshield for a low-profile, lightweight prescription integration. This allows one prescription carrier to work in multiple products.



! If not using ESS Rx Filling Service, ESS strongly recommends the use of Polycarbonate lenses in prescription inserts. Rx filling should always be done in an ANSI-compliant lab. Range of prescription inserts may vary based on the filling service you use.

ESS U.S. NSN LIST

| Product Description | Model # | U.S. NSN # | |
|---|----------|------------------|--|
| Crossbow Spectacles (Universal Fit) | | | |
| Crossbow: Eyeshield w/ Clear & Gray Lenses, UPLC Nosepiece & MOLLE Case | 740-0607 | 4240-01-630-8327 | |
| Crossbow Replacement Lens: Single-Pack Clear | 740-0486 | 4240-01-587-7512 | |
| Crossbow Replacement Lens: Single-Pack Smoke Gray | 740-0487 | 4240-01-587-7516 | |
| Crossbow Replacement Lenses: 10-Pack Clear | 740-0421 | 4240-01-583-5748 | |
| Crossbow Replacement Lenses: 10-Pack Smoke Gray | 740-0420 | 4240-01-583-5786 | |
| Crossbow Replacement Frame: Black | 740-0446 | 4240-01-583-5973 | |
| Crossbow UPLC-Compatible Nosepiece | 740-6596 | 4240-01-630-2574 | |
| Crossbow MOLLE Replacement Case | 740-0445 | 4240-01-583-5969 | |

Crosshair Spectacles (Universal Fit)

| | | | |
|--|-------------|------------------|--|
| Crosshair: Eyeshield w/ Clear & Gray Lenses, UPLC Nosepiece & MOLLE Case | EE9014-11 | 4240-01-630-6352 | |
| Crosshair Replacement Lens: Single-Pack Clear | 740-0479 | 4240-01-632-5140 | |
| Crosshair Replacement Lens: Single-Pack Smoke Gray | 740-0480 | 4240-01-632-5144 | |
| Crosshair Replacement Lenses: 10-Pack Clear | 740-0482 | 4240-01-632-5857 | |
| Crosshair Replacement Lenses: 10-Pack Smoke Gray | 740-0483 | 4240-01-632-5864 | |
| Crosshair Replacement Frame: Black | 600-791-002 | 4240-01-632-5130 | |
| Crosshair Replacement Nosepiece | 101-307-001 | 4240-01-633-4210 | |
| Crosshair MOLLE Replacement Case | 101-295-001 | 4240-01-633-3562 | |

Rollbar Spectacles (Universal Fit)

| | | | |
|---|-------------|------------------|--|
| Rollbar Unit Issue: Spectacle w/ Clear & Gray Lenses & MOLLE Case | EE9018-01 | 4240-01-630-8249 | |
| Rollbar Replacement Lenses: Single-Pack Clear | 740-0599 | 4240-01-632-5147 | |
| Rollbar Replacement Lenses: Single-Pack Smoke Gray | 740-0600 | 4240-01-632-5164 | |
| Rollbar Replacement Lenses: 10-Pack Clear | 101-286-002 | 4240-01-632-5867 | |
| Rollbar Replacement Lenses: 10-Pack Smoke Gray | 101-286-001 | 4240-01-632-5874 | |
| Rollbar Replacement Frame: Black | 600-915-002 | 4240-01-632-8150 | |
| Rollbar Replacement Case | 200-236-001 | 4240-01-633-3547 | |

Products shown with this symbol are included on the U.S. Army APEL

ICE Spectacles (Regular Size)

| | | | |
|---|----------|------------------|--|
| ICE-2X: Dual-Eyeshield Premium Kit w/ Clear & Smoke Gray Lenses | 740-0004 | 4240-01-554-5699 | |
| ICE Replacement Lenses: 50-Pack Clear | 740-0072 | 4240-01-525-4819 | |
| ICE Replacement Lenses: 50-Pack Smoke Gray | 740-0087 | 4240-01-525-5098 | |
| ICE Replacement Frame & Nosepiece Kit: Black | 740-0082 | 4240-01-525-5095 | |

ICE NARO Spectacles (Small Size)

| | | | |
|--|----------|------------------|--|
| ICE-2X NARO: Dual-Eyeshield Premium Kit w/ Clear & Smoke Gray Lenses | 740-0002 | 4240-01-554-5696 | |
| ICE NARO Replacement Lenses: 50-Pack Clear | 740-0075 | 4240-01-549-0863 | |
| ICE NARO Replacement Lenses: 50-Pack Smoke Gray | 740-0076 | 4240-01-549-0876 | |
| ICE NARO Replacement Frame & Nosepiece Kit: Black | 740-0083 | 4240-01-549-0934 | |

Rx Inserts & Other Accessories

| | | | |
|--|-------------|------------------|--|
| UPLC Adapter, Influx goggle | 100-947-001 | 4240-01-633-4301 | |
| UPLC Adapter, Profile NVG Goggle | 100-794-001 | 4240-01-630-2562 | |
| UPLC Nosepiece, Crossbow & Crosshair | 740-0596 | 4240-01-630-2574 | |
| U-Rx Universal Insert (For Profile, Crossbow, ICE & ICE NARO): Nylon Frame | 740-0411 | 6540-01-584-0170 | |
| U-Rx Universal Insert (For Profile, Crossbow, ICE & ICE NARO): 25-Pack | 740-0444 | 6540-01-584-0176 | |
| P-2B Rx Insert (For Profile, Crossbow, ICE & ICE NARO): Nylon Frame | 740-0310 | 6540-01-525-4784 | |
| Goggle Replacement Bag Tan 499 | 101-312-001 | 4240-01-633-0955 | |
| Microfiber Sunglass Bag | 740-0560 | 4240-01-633-3498 | |
| Replacement Semi-Rigid Case (For ICE & ICE NARO): Black | 740-0081 | 4240-01-518-9838 | |
| Replacement Elastic Retention Strap, Single | 740-0565 | 4240-01-623-2660 | |
| Replacement Elastic Retention Strap, 25-pack | 740-0254 | 4240-01-525-4777 | |
| Anti-fog solution, Single | 101-314-001 | 4240-01-633-0950 | |
| ClearZone Anti-Fog Wipes: 25-Pack | 740-0209 | 4240-01-525-5107 | |

ESS U.S. NSN LIST

| Product Description | Model # | U.S. NSN # | |
|--|-------------|------------------|--|
| Influx Series Goggles (Universal Fit) | | | |
| Influx Goggle w/ UPLC adapter, SpeedSleeve & Case: Tan 499 | EE7018-04 | 4240-01-630-6343 | |
| Influx Series Replacement Lens: Single-Pack Clear | 101-289-002 | 4240-01-632-5230 | |
| Influx Series Replacement Lens: Single-Pack Smoke Gray | 101-289-001 | 4240-01-632-5237 | |
| Influx Series Replacement Lenses: 10-Pack Clear | 101-290-002 | 4240-01-632-6923 | |
| Influx Series Replacement Lenses: 10-Pack Smoke Gray | 101-290-001 | 4240-01-632-6927 | |
| Influx Goggle Replacement Frame: Tan 499 | 101-301-001 | 4240-01-632-8181 | |
| Influx Goggle Replacement Strap: Tan 499 | 101-311-001 | 4240-01-633-4340 | |
| Influx Goggle Replacement SpeedSleeve : Tan 499 | 101-310-001 | 4240-01-633-3513 | |

Profile Series Goggles (Universal Fit)

| | | | |
|---|-------------|------------------|--|
| Profile NVG Goggle w/ UPLC adapter, SpeedSleeve & Case: Tan 499 | 740-0609 | 4240-01-630-7259 | |
| Profile NVG Goggle w/ MultiCam SpeedSleeve : OCP | 740-0496 | 4240-01-604-2788 | |
| Profile NVG Goggle w/ SpeedSleeve & Case: Foliage Green | 740-0129 | 4240-01-540-5585 | |
| Profile NVG Goggle w/ SpeedSleeve & Case: Black | 740-0124 | 4240-01-504-6222 | |
| Flight Pro Goggle: Gray | 740-0410 | 1680-01-602-5906 | |
| Profile NVG Replacement Lens: Single-Pack Clear | 740-0113 | 4240-01-587-8420 | |
| Profile NVG Replacement Lens: Single-Pack Smoke Gray | 740-0119 | 4240-01-587-7640 | |
| Profile NVG Replacement Lens: 10-Pack Clear | 101-288-002 | 4240-01-632-6907 | |
| Profile NVG Replacement Lens: 10-Pack Smoke Gray | 101-288-001 | 4240-01-632-6914 | |
| Profile NVG Replacement Frame w/ MultiCam SpeedSleeve: OCP | 740-0534 | 4240-01-604-2791 | |
| Profile NVG Replacement Frame: Tan 499 | 600-520-002 | 4240-01-641-7798 | |
| Profile NVG Replacement Frame: Foliage Green | 740-0464 | 4240-01-587-7565 | |
| Profile NVG Replacement Frame: Black | 740-0465 | 4240-01-587-7520 | |
| Profile NVG Tan 499 Replacement Strap | 101-308-001 | 4240-01-633-4339 | |
| Profile NVG Tan 499 Replacement AR Sleeve | 101-309-001 | 4240-01-633-3504 | |

Products shown with this symbol are included on the U.S. Army APEL

Striker Series Goggles (Universal Fit)

| | | | |
|--|-------------|------------------|--|
| Land Ops Goggle w/ SpeedSleeve & Case: Tan 499 | 740-0206 | 4240-01-540-5580 | |
| Land Ops Goggle w/ SpeedSleeve & Case: Foliage Green | 740-0202 | 4240-01-540-5576 | |
| Vehicle Ops Goggle w/ SpeedSleeve & Case: Black | 740-0248 | 4240-01-525-5101 | |
| Flight Deck Goggle: Gray | 740-0197 | 4240-01-492-5720 | |
| Land Ops Replacement Lens: Single-Pack Clear | 740-0192 | 4240-01-632-5238 | |
| Land Ops Replacement Lens: Single-Pack Smoke Gray | 740-0227 | 4240-01-632-5240 | |
| Land Ops Replacement Lens: 10-Pack Clear | 101-287-002 | 4240-01-632-6934 | |
| Land Ops Replacement Lens: 10-Pack Smoke Gray | 101-287-001 | 4240-01-632-6936 | |
| Striker Series Replacement Lens: 50-Pack Smoke Gray | 740-0226 | 4240-01-492-5725 | |
| Striker Series Replacement Lens: 50-Pack Clear | 740-0191 | 4240-01-492-5722 | |
| Land Ops Replacement Frame w/ Speed Sleeve Tan 499 | 740-0467 | 4240-01-633-3347 | |

Other Purchasing Info:



ESS NATO STOCK NUMBER (NSN) LIST

| Product Description | Model | NATO STOCK NUMBER | NSPA NLSE |
|--|----------|-------------------|-----------|
| Crossbow 2LS: Clear, Smoke Gray Lenses & Case | 740-0390 | 4240-01-583-9497 | NSPA NLSE |
| Crossbow 3LS: Clear, Smoke Gray, Hi-Def Yellow Lenses & Case | 740-0387 | 8465-01-583-9799 | NSPA NLSE |
| Crossbow Replacement Lenses: 10-Pack Clear | 740-0421 | 4240-01-583-5748 | NSPA NLSE |
| Crossbow Replacement Lenses: 10-Pack Smoke Gray | 740-0420 | 4240-01-583-5786 | NSPA NLSE |
| Crossbow Replacement Lens: Single-Pack Hi-Def Yellow | 740-0423 | 4240-01-610-5884 | NSPA NLSE |
| Crossbow Replacement Lens: Single-Pack Hi-Def Bronze | 740-0509 | 4240-01-610-5886 | NSPA NLSE |
| Crossbow Rigid MOLLE Replacement Case: Black | 740-0445 | 4240-01-583-5969 | |
| Crossbow Replacement Frame: Black | 740-0446 | 4240-01-583-5973 | |

Suppressor Spectacles

| | | | |
|---|----------|------------------|-----------|
| Crossbow Suppressor 2X: 1 Suppressor, 1 Crossbow & Case | 740-0451 | 4240-01-594-0564 | NSPA NLSE |
|---|----------|------------------|-----------|

Crosshair Spectacles

| | | | |
|--|-----------|------------------|-----------|
| Crosshair 3LS: Black w/ Clear, Smoke Gray, Hi-Def Yellow Lenses & Case | EE9014-05 | 6930-01-594-0570 | NSPA NLSE |
| Crosshair 2LS: Black w/ Clear, Smoke Gray Lenses & Case | EE9014-04 | 6930-01-594-0575 | NSPA NLSE |

ICE Spectacles

| | | | |
|---|----------|------------------|-----------|
| ICE-2LS: Clear, Smoke Gray Lenses & Case | 740-0015 | 4240-01-573-1934 | NSPA NLSE |
| ICE-2X: 2 Frames w/ Clear, Smoke Gray Lenses & Case | 740-0004 | 4240-01-554-5699 | NSPA NLSE |
| ICE-3LS: Clear, Smoke Gray, Hi-Def Yellow Lenses & Case | 740-0019 | 4240-01-545-7922 | NSPA NLSE |
| ICE Replacement Lenses: 50-Pack Smoke Gray | 740-0087 | 4240-01-525-5098 | NSPA NLSE |
| ICE Replacement Lenses: 50-Pack Clear | 740-0072 | 4240-01-525-4819 | NSPA NLSE |
| ICE Replacement Frame & Nosepiece Kit: Black | 740-0082 | 4240-01-525-5095 | NSPA NLSE |

ICE NARO Spectacles

| | | | |
|--|----------|------------------|-----------|
| ICE-2 NARO: Clear, Smoke Gray Lenses & Case | 740-0008 | 4240-01-537-6143 | NSPA NLSE |
| ICE-3LS NARO: Clear, Smoke Gray, Hi-Def Yellow Lenses & Case | 740-0017 | 4240-01-545-7923 | |
| ICE NARO Replacement Frame & Nosepiece Kit: Black | 740-0083 | 4240-01-549-0934 | |
| Replacement Semi-Rigid Case (For ICE Series): Black | 740-0081 | 4240-01-518-9838 | |

Products shown with this symbol  are available on NSPA NLSE:

| Product Description | Model | NATO STOCK NUMBER | NSPA NLSE |
|--|----------|-------------------|-----------|
| Sunglasses | | | |
| CDI Sunglasses: Clear, Smoke Gray Lenses & Case: Black | 740-0296 | 4240-01-545-7925 | NSPA NLSE |
| CDI MAX Sunglasses: Clear, Smoke Gray Lenses & Case: Black | 740-0297 | 8465-01-583-9788 | NSPA NLSE |
| Profile Series Goggles | | | |
| Profile NVG w/ SpeedSleeve & Case: Foliage Green | 740-0401 | 4240-01-573-1926 | NSPA NLSE |
| Profile NVG w/ SpeedSleeve & Case: Black | 740-0404 | 4240-01-573-1936 | NSPA NLSE |
| Profile NVG w/ SpeedSleeve & Case: Black w/ 3 Lenses | 740-0397 | 8465-01-576-7741 | NSPA NLSE |
| Asian-Fit Profile NVG w/ SpeedSleeve & Case: Black | 740-0123 | 8465-01-588-5803 | NSPA NLSE |
| Profile TurboFan Goggle w/ SpeedSleeve & Case: Black | 740-0131 | 4240-01-546-0323 | NSPA NLSE |
| Profile Series Replacement Lenses: 50-Pack Clear | 740-0114 | 4240-01-504-5641 | NSPA NLSE |
| Profile Series Replacement Lenses: 50-Pack Smoke Gray | 740-0120 | 4240-01-504-6143 | NSPA NLSE |
| Striker Series Goggles | | | |
| Land Ops Goggle w/ SpeedSleeve & Case: Foliage Green | 740-0402 | 4240-01-573-1930 | NSPA NLSE |
| Vehicle Ops Goggle w/ SpeedSleeve & Case: Black | 740-0403 | 4240-01-573-1931 | NSPA NLSE |
| Flight Deck Goggle: Gray | 740-0197 | 4240-01-492-5720 | NSPA NLSE |
| Striker Series Replacement Lenses: 50-Pack Smoke Gray | 740-0226 | 4240-01-492-5725 | NSPA NLSE |
| Striker Series Replacement Lenses: 50-Pack Clear | 740-0191 | 4240-01-492-5722 | NSPA NLSE |

Rx Inserts & Other Accessories

| | | | |
|---|----------|------------------|-----------|
| U-Rx Universal Insert (For Profile, Cross-Series & ICE Series): Nylon Frame | 740-0411 | 6540-01-584-0170 | NSPA NLSE |
| U-Rx Universal Inserts (For Profile, Cross-Series & ICE Series): 25-Pack | 740-0444 | 6540-01-584-0176 | NSPA NLSE |
| P-2B Rx Insert (For Profile, Cross-Series & ICE Series): Nylon Frame | 740-0310 | 6540-01-525-4784 | NSPA NLSE |
| Vice Rx Insert (For Advancer, Cross-Series & ICE Series): Wire Frame | 740-0308 | 6540-01-545-7927 | NSPA NLSE |
| Replacement Elastic Straps (For Cross-Series, ICE Series): 25-Pack | 740-0254 | 4240-01-525-4777 | |
| ClearZone Anti-Fog Wipes: 25-Pack | 740-0209 | 4240-01-525-5107 | |



CONCERNS OF POLICE SURVIVORS (C.O.P.S.)



is governed by a National Board of law enforcement survivors.

Each year, between 140 and 160 officers are killed in the line of duty and their families and coworkers are left to cope with the tragic loss. C.O.P.S. provides resources to help them rebuild their shattered lives. There is no membership fee to join C.O.P.S., for the price paid is already too high. C.O.P.S.

HIGHER GROUND



programs in the country by the Department of Defense, military medical centers, and veteran service organizations.

HG Military uses therapeutic recreation to facilitate a change in perspective, giving injured service members the physical skills, confidence, and coping strategies necessary for a successful reintegration into their families and home communities. HG is recognized as one of the premier rehabilitation

NATIONAL FALLEN FIREFIGHTERS FOUNDATION



Congress created the National Fallen Firefighters Foundation to lead a nationwide effort to honor America's fallen firefighters. Since 1992, the non-profit Foundation has developed and expanded programs that fulfill that mandate.