





ENGINE OIL ADDITIVES



HEAVY DUTY OIL STABILIZER

- Increases oil life at least 50% longer
- Reduces oil consumption
- Eliminates dry starts
- Raises oil pressure
- Increases power and miles per gallon

| U.S. Measure | Product Number |
|--------------|----------------|
| 1 Quart | 10001 |
| 1 Gallon | 10002 |
| 5 Gal Pail | 10015 |
| 16 Gal Keg | 10085 |
| 55 Gal Drum | 10091 |
| Per Gal Tote | 10398 |



PURE SYNTHETIC OIL STABILIZER

- Increases oil life by at least 50%
- Reduces oil consumption
- Eliminates dry starts
- Raises oil pressure
- Increases power and MPG

| U.S. Measure | Product Number |
|--------------|----------------|
| 1 Quart | 10130 |
| 1 Gallon | 10131 |
| 5 Gal Pail | 10132 |
| 16 Gal Keg | 10133 |
| 55 Gal Drum | 10134 |

Product Number

10278

10279

U.S. Measure

1 Quart

1 Gallon



ENGINE OIL STOP LEAK

- Compatible with petroleum, semi-synthetic and full synthetic motor oils
- Renews worn seals with no risk of damage or eventual corrosion
- Reduces engine noise and oil consumption, while raising oil pressure
- Contains no harmful solvents



HIGH MILEAGE OIL STABILIZER

- Excellent at fighting off sludge
- Lubricates all internal parts to minimize wear in any engine
- Raises oil pressure
- Eliminates the noise, emissions and oil consumption associated with worn engine

| U.S. Measure | Product Number |
|--------------|----------------|
| 1 Quart | 10118 |



MULTI-SYSTEM ADDITIVES

COMPLETE ENGINE TREATMENT

When added to fuel:

- Cleans and lubricates the entire fuel system from the tank to injectors
- Removes harmful deposits on intake valves and cylinder heads
- Lubricates the upper cylinder walls as well as the compression rings and oil rings
- Contains special Lucas additives that cause the fuel to burn thoroughly for fewer exhaust emissions and more MPG
- COUNTERACTS THE CORROSIVE EFFECT OF ETHANOL IN FUEL

When added to engine oil:

- Improves engine cleanliness reduces gum and varnish, especially in oil burners
- Reduces friction and wear
- Improves cold temperature fluidity
- Helps extend oil life

| U.S. Measure | Product Number |
|--------------|----------------|
| 16 oz | 10016 |

FUEL TREATMENTS



- A great tune-up in a bottle
- Cleans and lubricates the fuel system
- Neutralizes low sulfur fuel problems
- Increases power and miles per gallon by burning excess exhaust emissions
- Increases the life of pumps and injectors

| U.S. Measure | Product Number |
|------------------------------|----------------|
| 5.25 oz | 10020 |
| 1 Quart | 10003 |
| 1 Gallon | 10013 |
| 5 Gal Pail | 10080 |
| 16 Gal Keg | 10085 |
| 55 Gal Drum | 10090 |
| Per Gal Tote | 10023 |
| Concentrated Per Gal Tote | 10515 |



DEEP CLEAN™ FUEL SYSTEM CLEANER

- Greatly reduces harmful NOx emissions
- Removes carbon deposits
- Totally eliminates knocking and pinging
- Raises MPG and performance

| U.S. Measure | Product Number |
|--------------|----------------|
| 5.25 oz | 10669 |
| 16 oz | 10512 |
| 55 Gal Drum | 10575 |





HIGH MILEAGE FUEL TREATMENT

- Cleans fuel injectors and keeps them clean
- Reduces intake valve deposits and combustion chamber deposits
- Lubricates critical components in the fuel system and engine
- Stops knocking and hesitation
- Restores lost power and MPG
- Lessens oil contamination in older engines
- Excellent for use in newer engines for preventative maintenance
- Causes fuel to burn more completely for fewer emissions and more MPG



OCTANE BOOSTER

- Safe for turbos, oxygen sensors and catalytic converters
- Suitable for use in fuel injected and carbureted engines
- Provides more boost than most other brands
- Promotes clean fuel burn for fewer emissions

| U.S. Measure | Product Number |
|--------------|----------------|
| 2 oz | 10725 |
| 5.25 oz | 10930 |
| 15 oz | 10026 |

Product Number

10977

U.S. Measure

5.25 oz



SAFEGUARD™ ETHANOL FUEL CONDITIONER WITH STABILIZERS

- Cleans injectors, valve seats, combustion chambers and other critical fuel components
- Stabilizes fuel and prevents varnish & gum formation in ethanol and gasoline
- Combats deposits and protects your engine oil lubricants from the harmful effects of alcohol combustion

| U.S. Measure | Product Number |
|--------------|----------------|
| 2 oz | 10929 |
| 5.25 oz | 10670 |
| 16 oz | 10576 |



FUEL STABILIZER

- A better solution to prevent gasoline break-down during storage
- Safe to use in all grades of gasoline and in all 2 and 4 cycle engines
- Easy to use! Application rate, 1oz. to treat 1 gallon

| U.S. Measure | Product Number |
|--------------|----------------|
| 15 oz | 10302 |
| 8 oz | 10314 |
| 1 Quart | 10303 |
| 5 Gal Pail | 10324 |
| 55 Gal Drum | 10326 |



HIGH PERFORMANCE MOTOR OILS

SYNTHETIC MOTOR OILS



- Consistent viscosity oil
- Perfect oil for high RPM engines
- Excellent normal highway usage oil

| SYN SAE 5W-40 | | |
|----------------|-------|--|
| 1 Quart | 10189 | |
| 5 Gal Pail | 10191 | |
| 55 Gal Drum | 10193 | |
| SYN SAE 5W-50 | | |
| 1 Quart | 10101 | |
| 5 Gal Pail | 10382 | |
| 55 Gal Drum | 10384 | |
| SYN SAE 10W-30 | | |
| 1 Quart | 10050 | |
| 5 Gal Pail | 10117 | |
| 55 Gal Drum | 10119 | |
| Per Gal Tote | 10277 | |
| SYN SAE 20W-50 | | |
| 1 Quart | 10054 | |
| 5 Gal Pail | 10060 | |
| 55 Gal Drum | 10108 | |

| SYN SAE | OW-20 | |
|---------------|-------|--|
| 1 Quart | 10564 | |
| 5 Gal Pail | 10566 | |
| 55 Gal Drum | 10567 | |
| Per Gal Tote | 10568 | |
| SYN SAE | OW-30 | |
| 1 Quart | 10179 | |
| 5 Gal Pail | 10181 | |
| 55 Gal Drum | 10183 | |
| SYN SAE OW-40 | | |
| 1 Quart | 10211 | |
| 5 Gal Pail | 10213 | |
| 55 Gal Drum | 10215 | |
| SYN SAE | 5W-20 | |
| 1 Quart | 10082 | |
| 5 Gal Pail | 10137 | |
| 55 Gal Drum | 10084 | |
| Per Gal Tote | 10233 | |
| SYN SAE | | |
| 1 Quart | 10049 | |
| 5 Gal Pail | 10207 | |
| 55 Gal Drum | 10209 | |



PETROLEUM MOTOR OILS

- SAE grades meet or exceed current API specifications
- Excellent cold temperature properties
- Compatible with both conventional and synthetic engine oils
- Exclusive high performance additive system

| SAE 5W-20 | | |
|--------------|-------|--|
| 1 Quart | 10516 | |
| 5 Gal Pail | 10517 | |
| 1 | 10518 | |
| 55 Gal Drum | | |
| SAE 5V | | |
| 1 Quart | 10474 | |
| 5 Gal Pail | 10477 | |
| 55 Gal Drum | 10479 | |
| Per Gal Tote | 10482 | |
| | | |
| SAE 10 | | |
| 1 Quart | 10276 | |
| 5 Gal Pail | 10338 | |
| 55 Gal Drum | 10217 | |
| SAE 10 | | |
| | 10275 | |
| 1 Quart | | |
| 5 Gal Pail | 10523 | |
| 55 Gal Drum | 10519 | |
| SAE 20W-50 | | |
| 1 Quart | 10252 | |
| 2.5 Gallon | 10256 | |
| | | |
| 5 Gal Pail | 10257 | |
| 55 Gal Drum | 10259 | |
| Per Gal Tote | 10260 | |





SEMI-SYNTHETIC SAE 10W-40 MOTOR OIL

- Lower oil temperatures for longer oil life and less metal fatigue
- High lubricity for faster acceleration and more RPM's
- Protects against oil cavitation (foaming), a must for high revving engines
- Slows oil burning and raises oil pressure in worn engines

| U.S. Measure | Product Number |
|--------------|----------------|
| 1 Quart | 10176 |
| 5 Gal Pail | 10218 |
| 55 Gal Drum | 10221 |



HOT ROD AND CLASSIC OILS

- Provides tougher, thicker additive film for maximum protection
- Lowers oil temperature
- Extends oil life
- Minimizes metal fatigue
- Improves pressure in worn engines
- Compatible with menthol and all racing fuels, as well as synthetic and non-synthetic oils

| SAE 10W-30 | | |
|------------|-------|--|
| 1 Quart | 10687 | |
| 5 Quart | 10679 | |
| SAE 10W-40 | | |
| 1 Quart | 10688 | |
| 5 Quart | 10683 | |
| SAE 20W-50 | | |
| 1 Quart | 10689 | |
| 5 Quart | 10684 | |

GEAR OILS AND TRANSMISSION FLUIDS



ANTI-SQUAWK / ANTI-SHUDDER ADDITIVE

- Developed to specifically address squawk noise in gear and transmissions of agricultural equipment
- Suitable for temperatures well below freezing
- Reduces shudder in automotive transmissions including Hondas

| U.S. Measure | Product Number |
|--------------|----------------|
| 16 oz | 10599 |



SEMI-SYNTHETIC MULTI-VEHICLE AUTOMATIC TRANSMISSION FLUID

- Provides smooth shifting
- Excellent heat resistance
- Outstanding seal conditioning
- Recommended for use in both new and older vehicles
- Suitable for Japanese and European transmissions
- Compatible with synthetic and conventional fluids

| U.S. Measure | Product Number |
|--------------|----------------|
| 1 Quart | 10418 |
| 5 Gal Pail | 10422 |
| 55 Gal Drum | 10424 |
| Per Gal Tote | 10464 |





AUTOMATIC TRANSMISSION FLUID CONDITIONER

- Improves shifting
- Reduces noise and shudder
- Compatible with all ATF fluids, conventional and synthetic
- Extends fluid life
- For use in new and older transmission
- Will not void new car warranty
- Extends automatic transmission life

| U.S. Measure | Product Number |
|--------------|----------------|
| 20 oz | 10441 |



"SURE-SHIFT" SEMI-SYNTHETIC AUTOMATIC TRANSMISSION FLUID

- Smooth, precise shifting
- Extraordinary protection
- Prevents wear and tear

| U.S. Measure | Product Number |
|--------------|----------------|
| 1 Quart | 10052 |
| 5 Gal Pail | 10166 |
| 55 Gal Drum | 10055 |
| Per Gal Tote | 10168 |

PROBLEM SOLVERS & UTILITY LUBRICANTS



TRANSMISSION FIX

- Contains no solvents
- Lowers operating temperatures and stops foaming
- Can be added to existing fluid without draining any out
- Effective in an extremely high percentage of cases

| U.S. Measure | Product Number |
|--------------|----------------|
| 24 oz | 10009 |
| 5 Gal Pail | 10087 |
| 55 Gal Drum | 10827 |
| Per Gal Tote | 10154 |



POWER STEERING STOP LEAK

- Guaranteed to stop seal leaks
- Stops rack and pinion problems
- Very cost effective

| U.S. Measure | Product Number |
|--------------|----------------|
| 12 oz | 10008 |
| 1 Quart | 10011 |
| 5 Gal Pail | 10143 |
| 55 Gal Drum | 10145 |





POWER STEERING FLUID

- Adds lubricity to help stop wear and improve performance
- Seals and helps prevent small leaks
- Foam inhibitors help extend fluid life

| U.S. Measure | Product Number |
|--------------|----------------|
| 12 oz | 10823 |
| 1 Quart | 10824 |



POWER STEERING SPECIAL LIPE

POWER STEERING FLUID WITH CONDITIONERS

- Improves steering response and feel
- Extends life of pumps, rack and pinion gears, seals, cylinders and valves
- Compatible with all power steering systems and fluids, petroleum or synthetic
- Stops fading and foaming in high performance situations

| U.S. Measure | Product Number |
|--------------|----------------|
| 16 oz | 10442 |



SUPER COOLANT

- Lower cylinder head temps
- Allow advanced ignition, timing and more horsepower
- Reduce operating temperatures by up to 20° F
- Prevents corrosion, electrolytes and deposits that cause leaks, overheating, and cooling system failures

| U.S. Measure | Product Number |
|--------------|----------------|
| 16 oz | 10640 |



SYNTHETIC BRAKE FLUID DOT 3 & DOT 4

- Prevents seal hardening or softening
- Protects against rust or corrosion
- Provides excellent lubricity
- Compatible with all brake system rubber components and other fluids

| DOT 3 | |
|--------------------|-------|
| 12 oz 10825 | |
| 1 Quart | 10826 |
| DOT 4 | |
| 12 oz | 10827 |





BRAKE PARTS CLEANER

- High quality components to provide excellent performance
- Effectively removes brake fluid, grease, dust, and more
- For use on all ABS, disc, and drum brakes
- Quiets noise associated with excessive brake dust

| U.S. Measure | Product Number |
|--------------|----------------|
| 14 oz | 10906 |



AIR TOOL LUBRICANT

- Extends tool life
- Protects under extreme operating temperatures
- Disperses water
- Resists blowout

| U.S. Measure | Product Number |
|--------------|----------------|
| 16 oz | 10216 |
| 1 Quart | 10200 |
| 5 Gal Pail | 10225 |
| 55 Gal Drum | 10092 |



TOOL BOX BUDDY

- Lubricates, penetrates and dissolves rust
- Provides indoor and outdoor protection against water
- Eliminates squeaks
- Low in odor
- Excellent for locks, air tools or anything exposed to moisture
- Does not contain harmful solvents

| U.S. Measure | Product Number |
|--------------|----------------|
| 2 oz | 10070 |
| 11 oz | 10392 |



EVERYDAY GAR GARE

GREASES



RED 'N' TACKY GREASE

- Rust and oxidation inhibitors
- Water resistant
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications

| U.S. Measure | Product Number |
|---------------|----------------|
| 30 Pk - 14 oz | 10005-30 |
| 60 Pk - 14 oz | 10005-60 |
| 1 lb Tub | 10574 |
| 35 lb Pail | 10027 |
| 120 lb Keg | 10028 |
| 400 lb Drum | 10029 |



X-TRA HEAVY DUTY GREASE

- Rust and oxidation inhibitors
- Water resistant
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications

| U.S. Measure | Product Number |
|---------------|----------------|
| 30 Pk - 14 oz | 10301-30 |
| 60 Pk - 14 oz | 10301-60 |
| 1 lb Tub | 10330 |
| 35 lb Pail | 10305 |
| 120 lb Keg | 10316 |
| 400 lb Drum | 10335 |



GREASE COMBO PACK

Combo Pack Includes:

2 - 3 ounce cartridges of X-TRA Heavy Duty Grease

1 - 3 ounce cartridge of Red "N" Tacky Grease

- Excellent water resistance
- Effective corrosion protection
- NLGI GC-LB Certified

| U.S. Measure | Product Number |
|--------------|----------------|
| Combo Pack | 10315 |





WHITE LITHIUM GREASE

- Meets NLGI #2 performance
- Long lasting
- Reduces wear
- Extreme friction reducer
- Recommended for use in household applications Including garage doors, hinges, openers and springs

| U.S. Measure | Product Number |
|--------------|----------------|
| 8 nz | 10533 |

APPEARANCE PRODUCTS



SLICK MIST® SPEED WAX

- Premium paint gloss intensifier
- Great for cars, trucks, boats, and airplanes
- Shines and protects in one easy application
- Excellent results on chrome, glass and vinyl decals
- Use on wet or dry surfaces
- Quick and easy
- Ease of application

| U.S. Measure | Product Number |
|---------------|----------------|
| 12 Pk - 24 oz | 10160 |
| 6 Pk - 24 oz | 10160-6 |
| 2 oz | 10161 |



SLICK MIST® INTERIOR DETAILER

- Restores interior
- Long lasting
- Non-oily formula
- Sling resistant
- UV resistant / protection
- Ease of application
- Over spray not a problem
- Water based
- pH Neutral (7-8)
- Quick and easy
- Great for cars, trucks, boats, and airplanes
- Shines and protects in one easy application

| U.S. Measure | Product Number |
|--------------|----------------|
| 24 oz | 10514 |





SLICK MIST® TIRE & TRIM SHINE

- Water based
- Quick and easy
- Long lasting
- Sling resistant
- UV resistant
- Prevents side-wall blowout
- Great for cars, trucks, boats, and airplanes
- Shines and protects in one easy application
- Over spray not a problem

| U.S. Measure | Product Number |
|--------------|----------------|
| 24 oz | 10513 |
| 2 oz | 10104 |



SLICK MIST® DETAILING KIT

Slick Mist® Detailing Kit contains:

- 1- 24 oz Speed Wax
- 1- 24 oz Interior Detailer
- 1- 24 oz Tire & Trim Shine
- 1- 16"x16" Microfiber Towel
- 1- No Mess Applicator

| U.S. Measure | Product Number |
|--------------|----------------|
| Combo Pack | 10558 |



METAL POLISH

- Polishes and cleans all metals (aluminum, chrome, magnesium, stainless steel, silver, brass, gold)
- Easy to use and safe for all metals
- No acids or ammonia

| U.S. Measure | Product Number |
|--------------|----------------|
| 16 oz | 10155 |