



#### MOTOR OILS

#### SYNTHETIC MOTORCYCLE OILS

- Lower oil temperatures
- Longer oil life
- Longer component life
- Less noise, fewer leaks
- All Lucas Motorcycle Oils meet JASO specifications



SYN SAE	5W-20		
1 Quart	10704		
5 Gal Pail	10735		
55 Gal Drum	10737		
SYN SAE	SYN SAE 5W-30		
1 Quart	10706		
5 Gal Pail	10738		
55 Gal Drum	10740		
SYN SAE 10W-30			
1 Quart	10708		
5 Gal Pail	10741		
55 Gal Drum	10743		
SYN SAE 10W-40 JASO MB			
1 Quart	10777		

SYN SAE OW-40		
1 Quart	10718	
5 Gal Pail	10756	
55 Gal Drum	10758	
SYN SAE 10W-40		
1 Quart	10793	
5 Gal Pail	10940	
SYN SAE 10W-50		
1 Quart	10716	
5 Gal Pail	10753	
55 Gal Drum	10755	
SYN SAE 2	20W-50	
1 Quart	10702	
5 Gal Pail	10732	
55 Gal Drum	10734	



#### PETROLEUM MOTORCYCLE OILS

- Lower oil temperatures
- Longer oil life
- Longer component life
- Less noise, fewer leaks
- All Lucas Motorcycle Oils meet JASO specifications

SAE 5	50	
1 Quart	10712	
5 Gal Pail	10747	
55 Gal Drum	10749	
70 W	Т	
1 Quart	10714	
5 Gal Pail	10750	
55 Gal Drum	10752	
SAE 10W-40		
1 Quart	10767	
5 Gal Pail	10792	
55 Gal Drum	10769	
SAE 20W-50		
1 Quart	10700	
5 Gal Pail	10729	
55 Gal Drum	10731	





#### SEMI-SYNTHETIC SAE 10W-40 MOTORCYCLE OIL

- Lower oil temperatures
- Longer oil life
- Longer component life
- Less noise, fewer leaks
- All Lucas Motorcycle Oils meet JASO specifications

U.S. Measure	Product Number
1 Quart	10710
5 Gal Pail	10744
55 Gal Drum	10746



#### ATV/UTV ENGINE OIL SEMI-SYNTHETIC SAE 10W-40

- Lower oil temperatures
- Longer oil life
- Exceptional wet clutch protection for 4-stroke engines with integrated transmissions
- Formulated to stand up to the high temperatures of air-cooled 4-stroke ATV/UTV engines

U.S. Measure	Product Number
1 Quart	10720
5 Gal Pail	10722
55 Gal Drum	10724



### SYNTHETIC SAE 50 WT. V-TWIN

- API SL certified
- Quiets engines
- Excellent thermal stability
- Reduces operating temperatures
- Resists oil oxidation
- Minimizes metal-on-metal wear
- Extends oil drain intervals
- Extends life of engine
- Full synthetic formulation
- Special additives provides the highest performance possible

U.S. Measure	Product Number
1 Quart	10765
55 Gal Drum	10770



#### **MULTI-SYSTEM ADDITIVES**

#### **COMPLETE ENGINE TREATMENT**

#### When added to fuel:

- Cleans and lubricates the entire fuel system from the tank to injectors
- Removes harmful deposits on intake valves and cylinder heads
- Lubricates the upper cylinder walls as well as the compression rings and oil rings
- Contains special Lucas additives that cause the fuel to burn thoroughly for fewer exhaust emissions and more MPG
- COUNTERACTS THE CORROSIVE EFFECT OF ETHANOL IN FUEL

#### When added to engine oil:

- Improves engine cleanliness reduces gum and varnish, especially in oil burners
- Reduces friction and wear
- Improves cold temperature fluidity
- Helps extend oil life

#### ENGINE OIL ADDITIVES

#### U.S. Measure Product Number **16 oz** 10016

### MOTORCYCLE OIL STABILIZER

- 100% Petroleum
- Will not void new vehicle warranties
- Reduces temperature and friction
- Extends oil life up to 50%
- Increases oil pressure
- Increases fuel mileage and power
- Insures against oil breakdown in case of overheating
- Will not sludge or vanish
- Cools and quiets engines and gear boxes



#### ENGINE OIL STOP LEAK

- Compatible with petroleum, semi-synthetic and full synthetic motor oils
- Renews worn seals with no risk of damage or eventual corrosion
- Reduces engine noise and oil consumption, while raising oil pressure
- Contains no harmful solvents

U.S. Measure	Product Number
12 oz	10727

U.S. Measure	Product Number
1 Quart	10278
1 Gallon	10279
330 Gal Tote	11134





Product Number

10791

GEAR AND TRANSMISSION OILS



#### SYNTHETIC SAE 75W-140 V-TWIN GEAR OIL

- Blended with high quality synthetic base oils
- Cools & quiets with minimum wear and drag
- Stands up to high horse power and high temperatures
- Designed for V-Twins also for any high performance transmission

(M)	3		
	RIM		
	COOLS & OU		(IIII)
-	- 100	87 (946 mL)	

#### **PRIMARY CHAINCASE OIL**

- Cool & Quiets
- Designed for heavy duty high performance situations
- Meets or exceeds all OEM requirements

U.S. Measure	Product Number
1 Quart	10790

U.S. Measure

1 Quart



#### SYNTHETIC 80W/85W TRANSMISSION OIL

- Synthetic formula contains Lucas unique additive system
- Light viscosity oil formulated for 2-stroke and 4-stroke transmissions and wet clutch systems that require an independent lubricant
- Provides the ultimate performance, improved shifting, clutch engagement and extended clutch life
- Reduces friction and drag
- Meets Honda Specifications

U.S. Measure	Product Number
1 Quart	10778



#### 2-CYCLE OILS



#### SEMI-SYNTHETIC TC-W3® 2-CYCLE LAND & SEA OIL

- Surpasses Mercury, Evinrude and Johnson Motors requirements
- Expect longer ring life, less fuel consumption and no filter clogging
- Excellent rust protection
- Prevents piston and cylinder scuffing
- Meets or exceeds industry performance requirements

#### SEMI-SYNTHETIC 2-CYCLE OIL



- Clean burning "Smokeless"
- Mixes well with gasolines at all temperatures
- Meets requirements for "low smoke" oils
- Low ash
- Suitable for use in air-cooled engines
- Surpasses Mercury, Evinrude and Johnson Motors requirements
- Expect longer ring life, less fuel consumption and no filter clogging
- Excellent rust protection during storage
- Prevents carbon deposits
- Prevents piston burning and corrosion caused by combustion residue
- Meets ISO GD and JASO FD
- Exceeds API TC

Do Gai Drum	10123

Product Number

10467

10557

10469

10470

Product Number

10058

10059

10120

10110

10056

10125

U.S. Measure

1 Quart

1 Gallon

5 Gal Pail

55 Gal Drum

U.S. Measure

2.6 oz

6.4 oz

16 oz

1 Ouart

1 Gallon

5 Gal Pail

EE Col Daw



#### FUEL TREATMENTS

#### UPPER CYLINDER LUBRICANT FUEL TREATMENT

- A great tune-up in a bottle
- Cleans and lubricates the fuel system
- Neutralizes low sulfur fuel problems
- Increases power and miles per gallon by burning excess exhaust emissions
- Increases the life of pumps and injectors

U.S. Measure	Product Number
5.25 oz	10020
1 Quart	10003
1 Gallon	10013
5 Gal Pail	10080
16 Gal Keg	10085
55 Gal Drum	10090
330 Gal Tote	10023
Concentrated 330 Gal Tote	10515





### OCTANE BOOSTER

- Safe for turbos, oxygen sensors and catalytic converters
- Suitable for use in fuel injected and carbureted engines
- Provides more boost than most other brands
- Promotes clean fuel burn for fewer emissions

U.S. Measure	Product Number
2 oz	10725
5.25 oz	10930
15 oz	10026



#### DEEP CLEAN FUEL SYSTEM CLEANER

- Greatly reduces harmful NOx emissions
- Removes carbon deposits
- Totally eliminates knocking and pinging
- Raises MPG and performance

U.S. Measure	Product Number
5.25 oz	10669
16 oz	10512
55 Gal Drum	10575



#### SAFEGUARD<sup>™</sup> ETHANOL FUEL CONDITIONER WITH STABILIZERS

- Cleans injectors, valve seats, combustion chambers
  and other critical fuel components
- Stabilizes fuel and prevents varnish & gum formation in ethanol and gasoline
- Combats deposits and protects your engine oil lubricants from the harmful effects of alcohol combustion

U.S. Measure	Product Number
2 oz	10929
5.25 oz	10670
16 oz	10576



### FUEL STABILIZER

- A better solution to prevent gasoline break-down during storage
- Safe to use in all grades of gasoline and in all 2 and 4 cycle engines
- Easy to use! Application rate, 1oz. to treat 1 gallon

U.S. Measure	Product Number
8 oz	10314
15 oz	10302
1 Quart	10303
5 Gal Pail	10324
55 Gal Drum	10326



#### PROBLEM SOLVERS



#### CHAIN LUBE AEROSOL

- Designed to penetrate deeply into pins and bushing of the chains
- Excellent rust and corrosion inhibitor, as well as water resistant
- Leaves protective film to ensure minimum wear and drag
- Suitable for use on all chains including O-ring types

U.S. Measure	Product Number
11 oz net	10393



### **CONTACT CLEANER AEROSOL**

- Superior cleaning and drying formula
- Greater value compared to competitors products
- Made in U.S.A.

U.S. Measure	Product Number
14 oz net	10799



#### FOAM FILTER OIL

- Low solvent
- Low viscosity
- Designed to penetrate filter
- Improves air flow

roduct Number
10798





#### FORK OILS

- More responsive handling
- Prevents foaming
- Reduces thermal expansion
- Prevents seal hardening
- Prevents static friction
- Better wear protection
- Prevents oxidation and oil thickening

LIGHT 5 WT		
16 oz	10771	
5 Gal Pail	10780	
55 Gal Drum	10785	
MEDIUM 10 WT		
16 oz	10772	
5 Gal Pail	10781	
55 Gal Drum	10786	
HEAVY 15 WT		
16 oz	10773	
5 Gal Pail	10782	
EXTRA HEAVY 20 WT		
16 oz	10779	



### SYNTHETIC BRAKE FLUID DOT 3 & DOT 4

- Prevents seal hardening or softening
- Protects against rust or corrosion
- Provides excellent lubricity
- Compatible with all brake system rubber components and other fluids

DOT 3	
12 oz	10825
1 Quart	10826
DOT 4	
12 oz	10827



### **BRAKE PARTS CLEANER**

- High quality components to provide excellent performance
- Effectively removes brake fluid, grease, dust, and more
- For use on all ABS, disc, and drum brakes
- Quiets noise associated with excessive brake dust

U.S. Measure	Product Number
14 oz net	10906



#### PENETRATING OIL

- A truly superior penetrant designed to dissolve corrosion and rust without drying
- Provides a microscopic film that rust proofs for up to a year inside or out
- Excellent protection against water, even salt water
- Fortified with anti-seize agents
- Low odor

U.S. Measure	Product Number
11 oz net	11043



#### MULTI-PURPOSE PARTS CLEANER & DEGREASER

- Formulated with advanced Polyetheramine (PEA) detergents to clean and degrease carburetors, chokes, brake calipers, rotors, air intakes, throttle bodies and unpainted metal parts
- Removes any build-up that can cause loss of power, rough idle, high emissions and hard starting
- Helps remove unwanted deposits such as gum, varnish, oil, brake fluid, grease, dirt and sludge
- Cleans brakes for better performance and smoother operation
- Fast drying
- Will not harm catalytic converters and oxygen sensors
- Does not contain CFC's or chlorinated solvents
- 50 state VOC compliance

U.S. Measure	Product Number
16 oz net	11115



### **SPROCKET & CHAIN LUBE**

- Water resistant
- Heat resistant
- Resist slinging
- Less friction
- Provides excellent anti-rust protection

U.S. Measure	Product Number
4 oz	10525

APPEARANCE PRODUCTS



#### SLICK MIST® SPEED WAX

- Premium paint gloss intensifier
- Great for cars, trucks, boats, and airplanes
- Shines and protects in one easy application
- Excellent results on chrome, glass and vinyl decals
- Use on wet or dry surfaces
- Quick and easy
- Ease of application

U.S. Measure	Product Number
12 Pk - 24 oz	10160
6 Pk - 24 oz	10160-6
2 oz	10161





Product Number

10513

10104



#### SLICK MIST<sup>®</sup> INTERIOR DETAILER

- Restores interior
- Long lasting
- Non-oily formula
- Sling resistant
- UV resistant / protection
- Ease of application
- Over spray not a problem
- Water based
- pH Neutral (7-8)
- Quick and easy
- Great for cars, trucks, boats, and airplanes
- Shines and protects in one easy application



### SLICK MIST® TIRE & TRIM SHINE

- Water based
- Quick and easy
- Long lasting
- Sling resistant
- UV resistant
- Prevents side-wall blowout
- Great for cars, trucks, boats, and airplanes
- Shines and protects in one easy application
- Over spray not a problem



#### SLICK MIST® DETAILING KIT

Slick Mist® Detailing Kit contains:

- 1- 24 oz Speed Wax
- 1- 24 oz Interior Detailer
- 1- 24 oz Tire & Trim Shine
- 1- 16"x16" Microfiber Towel
- 1- No Mess Applicator

U.S. Measure	Product Number
Combo Pack	10558



#### **METAL POLISH**

- Polishes and cleans all metals (aluminum, chrome, magnesium, stainless steel, silver, brass, gold)
- Easy to use and safe for all metals
- No acids or ammonia

U.S. Measure	Product Number
16 oz	10155

U.S. Measure	Product Number
24 oz	10514

U.S. Measure

24 oz

2 oz