

## **NEW ITEMS**





B20332

#### Steel Front Fender For 1932 Ford Car & Truck

- Quality stamped steel, exactly as original Henry!
- Fender edge bead with steel inner wire as original
- Finished with black EDP protective coating to keep your new steel fresh and rust-free
- Fits all 1932 Ford vehicles including 1932 Truck. However, fender does NOT have spare tire well.
- · Available in left hand or right hand applications

B20331 **L/H** - 1 Pc. / Box B20332 **R/H** - 1 Pc. / Box





#### Rear Fender for 1932 Ford 5W Coupe & Roadster

- Quality stamped steel, exactly as original Henry!
- · Made of excellent 20 gauge sheetmetal
- Fender edge bead with steel inner wire as original
- Precision punched quarter panel mounting holes
- Includes mounting holes for frame horn cover
- · Coated with black EDP
- Sold individually, please specify left or right hand side

B20333	<b>L/H</b> - 1 Pc. / Box
B20334	<b>R/H</b> - 1 Pc. / Box







### Stainless Steel Bumper End Bolts And Nuts For 1928-31 Ford Model A (Pair)

- · Beautiful quality stainless steel
- · Exact shape and size as the original
- 5-1/8" partial threaded with 1" long 7/16"-20 threads
- Feature original style anti-rotation key design under the head of the bolt

**A6219** 1 Pair / Bulk



#### Cab Mount Kit For 1949-54 Chevy And GMC Truck

- · Complete cab mounting kit with fasteners
- Features heavy duty reinforced rubber square pad and mounting fasteners for front cab installation
- · Quality molded rubber bushing for the rear cab mount shackles
- 18 piece kit
- · Includes installation diagram

**110841** 1 Set / Bulk



## Stainless Steel Bumper Bar Spacer For 1928-31 Ford Model A (Pair)

- · Highly polished stainless steel
- A spacer between 2 bumper bars

A6220

1 Pair / Bulk



#### Highly Detailed Bassett Hound Ornament

- Detailed die-casting with beautiful chrome plating or matte black powder coated finish
- Easy installation on any vehicle with four mounting studs
- Approximately 7-5/8" x 4-1/8" x 7-1/4"
- · Mounting hardware included
- Ideal for decorating small and personal space, home, office and garage

**72003 Chrome** - 1 Pc. / Color Box

**72053** Black - 1 Pc. / Color Box



#### 19" Double Contact Pigtail


- 18 AWG thermoplastic jacketed wires
- · Tinned copper wires for better corrosion resistance
- · Nylon insulation plate

**A1060-4** 1 Pc. / Bulk

# Heated LED Headlights with Polycarbonate Lens & Housing



- · Features a heating system that automatically de-ices and defrosts the headlight lens when outside temperature reaches 50 degrees Fahrenheit (10 Celsius) or below
- Integrated monitoring system to turn off heating when snow & ice has cleared from lens
- Durable corrosion resistant polycarbonate lens, housing & electronics resist shock and vibration
- Plug & play with standard H4 style connector plug for ease of installation





**100%**LED

DOT

Technical Specs									
		Item	Size	Beam	Lumens	Color Temp.	Voltage	Unit / Box	
		34135	4" x 6"	Low	750	6500 kelvin	12v/24v	1 Pc. / Card	
34135	34136	34136	4" x 6"	High	1000	6500 kelvin	12v/24v	1 Pc. / Card	
		34137	5" x 7"	High/Low	1100/600	6000 kelvin	12v/24v	1 Pc. / Card	
34137	34138	34138	7"	High/Low	950/500	5700 kelvin	12v/24v	1 Pc. / Card	
34137	J-1.30								

Also Available:		Technical Specs								
Same S	S CONTROLLED S.	Item	Size / Color	Beam	Lumens	Watts	Voltage	Unit / Box		
	-3	34131	4" x 6" / Chrome	Low	1000	20	12v/24v	1 Pc. / Color Box		
34131	34132	34132	4" x 6" / Chrome	High	1200	24	12v/24v	1 Pc. / Color Box		
		34133	4" x 6" / Black	Low	1000	20	12v/24v	1 Pc. / Color Box		
34133	34134	34134	4" x 6" / Black	High	1200	24	12v/24v	1 Pc. / Color Box		
34133	5-15-			A WARNING O OR A STATE OF						



WARNING: Cancer & Reproductive Harm